

Florida Product Approval # FL 30339

Quicken Steel 188 Georgia Pacific Dr. Claxton,GA 30417


912-549-4050

QuickLok PL-100 .029 Aluminum 1.0 Panel over Plywood

Florida Building Code 2017 6th ed.Compliance:Per Rule 61G20-3 Method: 1-DCategory:Roofing -Subcategory: Metal Roofing NON-HVHZ

Engineer Evaluator Locke Bowden, P.E. 9450 AJysbury Place Montgomery, AL 36117

Engineer Validator Diane Marotta, P.E. 555 Prospect Road Oakland, FL 33309



Compliance Statement:	The product as described in this report has demonstrated compliance with the Florida Building Code
Product Description:	2017 6 th ed., Sections 1504.3.2, 1507.4.3, 1507.1.1 QuickLok Min029 aluminum PL-100 Snaplock-Nailstrip, 1.0 Panel over 15/32" 4-ply CDX plywood
Material:	restrained with fasteners W/ADHESIVE or WO/ADHESIVE-SEE INTAL DETAIL over decking over supports @ 24" O.C. Non-structural Application.
Panel Dimensions:	MIN029 ALUMINUM conforming to Florida Building Code 2017 Section 1507.4.3Corrosion Resistance: Panel Material shall comply with Florida Building Code 2017, Section
Fastener: 2017 Section 1506.7.	1507.4.3 Panel Widths: 16" Rib height: 1.0"tall rib height, thru fastened #10 X 1"panclip fastener w/bonded washers, into plywood substrate 1/4" min. Corrosion Resistant per FBC 1/4" o.c., fastenen through the pre-existing nail strip slots.Female leg of the panel snap-fits to
Slope:	the male leg of the adjacent panel. Range Slope per Florida Building Code 2017 6™ ed., in accordance with Manufacturers recommendations.
Installation:	Install per manufacturer's recommended details.
Underlayment:	Per Manufacturer's installation guidelines per Florida Building Code 2017, CHAPTER 1507, CHART 1507.1.1
Fire Classification:	Classification not part of this report.
Shear Diaphragm:	Values are outside the scope of this report.
Design Procedure:	Based on the dimensions of the structure, applicable wind loads are determined using Chapter 16 of the Florida Building Code 2017 for roof cladding wind loads. These component wind loads for roof cladding are Compared to the allowable pressure listed above. The design professional shall select the applicable erection details to reference in drawings for correct fastener attachment to his structure and analyze the panel fasteners for pullout and pullover. Support framing must be compliant with Florida Building Code 2017 Chapter 22 for steel, Chapter 23 for wood and Chapter 16 for structural loading.



QuickLok .029 Aluminum 1.0 PL-100 PANEL -57.62psf @ 5-1/4" O.C. FASTENER SPACING W/OUT ADHESIVE -153.5psf @ 5-1/4" O.C. FASTENER SPACING w/ADHESIVE Test References: TAS 125-03 - Report # 14625.04-450-44-R0 # |4161.03-450-44-RO UL 580-06-Test for Uplift Resistance of Roof Assemblies Design Uplift Pressures: Uplift Design Pressure: with Safety Factor of 2 Intearity Metal authorizes sharing this report. Certificate of Independence: Locke Bowden, P.E. does not have nor will acquire financial interest in any company manufacturing or distributing products under this evaluation. Locke Bowden, P.E. is not owned or operated or LIMITATIONS controlled by any company manufacturing or distributing product under this report. 1. Underlayment to be compliance with current Florida Building Code (FBC)2017 6TH ed., see Chart 1507.1.1 Minimum slope to be compliant with Florida Building Code 2017 6th ed., and per with Manufacturer's installation reference. Products are compliant with State of Florida product approval per Rule 61G20-3. Compliance Method: 1-D 4. Engineering analysis for "project specific approval by local authorities w/jurisdiction is allowed by other registered engineers. 5. Fire classification is not part of this acceptance. Shear diaphragm values are outside this report. 6. Support framing in compliance w/FBC 2017 6th ed., Chapter 22 Steel, Chapter 23 Wood and Chapter 16 Structural Loading. 7. This report does not imply warranty, installation, recommended product use outside of this report. INS ALL DETAILS PER MANUFACTURER'S DETAILS AND IN ACCORDANCE WITH FBC 2017. 16" FASTENER PATTERN ALONG VERTICAL SEAM: METHOD 1: FASTENED @ 5-1/4" O.C. W/ A CONTINUOUS 3/16" BEAD OF BOSTIK CHEM HALK SEALANT USED AT THE BASE OF THE LEG OF THE NAIL STRIP SIDE OF THE SEAM METHOD 2: FASTENED @ 5-1/4" O.C.

