

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI010891-R1  
DATE: 01/12/2012  
CERTIFICATION PROGRAM: Structural  
COMPANY: Door Store  
CODE: 1367-1  
REVISION DATE: 01/19/2012

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>The Door Store of America DBA DSA Master Crafted Doors, LLC 10681 World Trade Boulevard Raleigh, NC 27617</b>	<b>"Alexandria" Nine Light Wood Door w/Five Light Sidelights &amp; 12 Light Half Round Transom</b>  Configuration: O//OXO Glazing: Insulating Glass (Tempered Glass) Frame: W-1727mm(68") H-3421mm(134.7") Panel: W-914mm(36") H-2438mm(96") Max DLO: W-343mm(13.5") H-1383mm(54.44")
SPECIFICATION	PRODUCT RATING
<b>ASTM E283-04/ASTM E330-02</b>	<b>Design Pressure: +50/-50 psf</b>

Product Tested By: American Test Lab, Inc.  
Report No: ATLNC-1107.01-11  
Expiration Date: **December 31, 2015**

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be a stylized name, is written over a horizontal line.

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122