

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI010742
DATE: 09/23/2011
CERTIFICATION PROGRAM: Structural
COMPANY: Door Store
CODE: 1367-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
The Door Store of America DBA DSA Master Crafted Doors, LLC 10681 World Trade Boulevard Raleigh, NC 27617	"Asheville TDL Pair" Nine Lite Arch Top Double Wood Doors Configuration: XX Glazing: Insulating Glass (Tempered Glass) Frame: W-1892mm(74.5") H-2515mm(99") Panel: W-914mm(36") H-2438mm(96") Max DLO: W-352mm(13.8") H-1307mm(51.47")
SPECIFICATION	PRODUCT RATING
ASTM E283-04/ASTM E330-02	Design Pressure: +50/-50 psf

Product Tested By: American Test Lab, Inc.
Report No: ATLNC-0721.01-11
Expiration Date: **July 31, 2015**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be 'M. D.', written over a horizontal line.

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122