

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011475.01-R1
DATE: 03/01/2013
CERTIFICATION PROGRAM: Structural
COMPANY: Quaker
CODE: 031-1
REVISION DATE: 04/04/2013

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Quaker Window Products 504 Highway 63 South Freeburg, MO 65035	Series "B500/T500 (#8050)" Thermally Broken Aluminum Single Hung Window Configuration: O/X Glazing: IG-3/16" Annealed Glass/Laminate-3/32" Annealed Glass/0.090" PVB Interlayer/3/32" Annealed Glass Frame: W-1156mm(48") H-2289mm(90.13") Sash: W-1156mm(45.50") H-1137mm(44.75") DLO: W-1099mm(43.25") H-1048mm(41.25")

SPECIFICATION	PRODUCT RATING
ASTM E1886-02/05/E1996-02/05 AAMA 506-08	Design Pressure: 2873 Pa (60 psf) Negative Design Pressure: 2873 Pa (60 psf) Wind Zone 4-Missile Level D

Product Tested By: Architectural Testing, Inc.
Report No: B3993.01-801-44/C5558.01-801-47
Expiration Date: **October 31, 2016**

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122