



TJPV.GuideInfo Metal Roof Deck Panels

[View Listings](#)[Page Bottom](#)

[Roof Deck Constructions] (Roof Deck Construction Materials) Metal Roof Deck Panels

[See General Information for Roof Deck Construction Materials](#)

GENERAL

This category covers metal roof deck panels for use in roof deck constructions. The applicable Construction Number(s) for these materials are indicated in the individual Classifications.

Metal roof deck panels are either formed in the factory or in the field. Factory-formed panels are eligible to bear the Underwriters Laboratories Inc. Classification Mark. Field-formed panels do not bear any reference to Underwriters Laboratories Inc.

A Certificate may be used in lieu of marking each factory-formed panel with the UL Classification Mark. If the Certificate program is used, the smallest unit package of panels is marked "See  Certificate."

For field-formed panels, an Underwriters Laboratories Inc. Certificate is issued for each machine that is capable of producing panels that comply with the requirements. The Certificate is issued for a six-month period after which the machine will require recertification. The Certificate includes the Classification Mark with the product identification "Field Formed Metal Roof Deck Panels," the forming machine model and serial number, and the panel specifications. Included with the Certificate is a drawing of the panel.

UNEVALUATED FACTORS

The corrosion resistance of the metal roof deck panels has not been investigated.

ADDITIONAL INFORMATION

For additional information, see Roof Deck Constructions ([TGKX](#)) and Roofing Materials and Systems ([AARM](#)).

REQUIREMENTS

The basic standard used to investigate products in this category is [UL 580](#), "Tests for Uplift Resistance of Roof Assemblies."

UL MARK

The Classification Mark of Underwriters Laboratories Inc. on the product is the only method provided by UL to identify products manufactured under its Classification and Follow-Up Service. The Classification Mark for these products includes the UL symbol, the word "CLASSIFIED" above the UL symbol (as illustrated in the Introduction of this Directory), and the following additional information:

**METAL ROOF DECK PANELS
AS TO UPLIFT RESISTANCE
CLASS +
AS SHOWN BY CONSTRUCTION NO(S). _____
SEE UL ROOFING MATERIALS AND SYSTEMS DIRECTORY
Control No.**

+ **15, 30, 60** or **90**

UL, in performing its functions in accordance with its objectives, does not assume or undertake to discharge any responsibility of the manufacturer or any other party. UL shall not incur any obligation or liability for any loss, expense or damages, including incidental or consequential damages, arising out of or in connection with the use, interpretation of, or reliance upon this Guide Information.

Last Updated on 2006-12-14

[Questions?](#)

[Notice of Disclaimer](#)

[Page Top](#)

[Copyright © 2009 Underwriters Laboratories Inc.®](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2009 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

