Form EB18 - 2024 (Draft)

MILESTONE INSPECTION REPORT FORM	
PHASE 1 Milestone Inspection	
Inspection Firm or Individual Name:	
Address:	
Telephone	
Number:	Increastion Completed
Inspection Commenced Date:	Inspection Completed Date:
Date.	Dutc.
No Repairs Required	Repairs are required as outlined herein.
Phase 2 inspection is required	
Phase 2 inspection is required, and the	ne need is of such a critical nature that it is time sensitive
Licensed Design Professional: Name:	neer Architect
License Number:	
	Seal
I am qualified to practice in the discipline	in which I am hereby signing,
Signature:	Date:
	tone inspection requirements as listed in <i>Chapter 18 of the Florida Building Code, Existing</i> report represents an accurate appraisal of the present condition of the structure, based upon reasonably possible.
1. DESCRIPTION OF STRUCTURE	
a. Name on Title:	
b. Street Address:	

C.	Legal Description:	
d.	Owner's Name:	
e.	Owner's Mailing Address:	
f.	Email Address:	Contact Number:
g.	Folio Number of Property on which building is located:	
h.	Building Code Occupancy Classification:	
i.	Present Use:	
j.	General Description:	Type of Construction:
k.	Square Footage:	
	1. Total building area:	Number of Stories:
	2. Building footprint area:	
I.	Name of the Condo or Coop entity:	
m.	Special Features:	
n.	Describe any additions to original structure:	
n.	Describe any additions to original structure:	
n.	Describe any additions to original structure:	
n.	Describe any additions to original structure:	
	Describe any additions to original structure: Distance to the coast:	

. PRE	SENT CONDITION OF STR	RUCTURE			
a.	General Alignment (Not	e: Good, Fire, Poor,	Explain if significa	nt):	
1.	Bulging:	Good	Fair	Poor	Significant (Explain):
_					
2.	Settlement:	Good	Fair	Poor	Significant (Explain):
3.	Deflections:	Good	Fair	Poor	Significant (Explain):
4.	Expansion:	Good	Fair	Poor	Significant (Explain):
_					
5	. Contraction:	Good	Fair	Poor	Significant (Explain):
b.	Portion Showing Distres	s (Note: Beams, Co	lumns, Structural \	Walls, Floor, Roofs, (Other):

C.	Surface Conditions – Describe general conditions of finishes, noting cracking, spalling, peeling, signs of moisture penetration and strains:
d.	Cracks – Note location in significant members. Identify crack size as HAIRLINE if barely discernible; FINE if less than 1mm in width; MEDIUM if between 1mm and 2mm in width; WIDE if over 2mm:
e.	General extent of deterioration – Cracking or spalling concrete or masonry, oxidation of metals; rot or borer attack in wood:
f.	Note previous patching or repairs:
g.	Nature of present loading indicate residential, commercial, other estimate magnitude:
3. INSI	PECTIONS
a.	Date of notice of required inspection:
b.	Date(s) of actual inspection:
C.	Name and qualifications of the individual preparing report:

d.	Description of laboratory or other formal testing, if required, rather than manual or visual procedures:
e.	1 11 1
	 None required Required (describe and indicate acceptance)
f.	Has the property record been researched for any current code violations or unsafe structure cases?
Explan	ation/Comments:
4. SUP	PORTING DATA ATTACHED
a.	Sheets of written data:
b.	Photographs:
C.	Drawings or sketches:
d.	Test reports:
5. FOL	INDATION
a.	Describe building foundation:
b.	Is wood in contact or near soil? (Yes/No):
C.	Signs of differential settlement? (Yes/No)

	De —	scribe any cracks or separation	in the walls, col	umn or bea	ams t	hat signa	l diff	erential settlement:
								_
e.		Is there additional sub-soil investigation required?	Yes	No)			
	1.	If yes, explain:						
f.	ls v	water drained away from found	ation? (Yes/No)	:				
g.	Is th	nere additional sub-soil investig 1. Describe:						
-								
6. MA	SON	IRY BEARING WALL – Indicate g	good, fair or poo	or on appro	pria	te lines		
	a.	Concrete masonry units:		Good		Fair		Poor
	b.	Clay tile or cotta units:		Good		Fair		Poor
		Reinforced concrete tie columns:		Good		Fair Fair		Poor
	C.	Reinforced concrete tie]		1
	c.	Reinforced concrete tie columns:		Good		Fair		Poor

1. Stucco: 2. Veneer: 3. Paint Only: 4. Other: 4a. Explain: Spalling – In beams, columns, or others, including locations (description): Rebar corrosion – Check appropriate line: 1. None Visible 2. Minor – Patching will suffice 3. Significant – Patching will suffice 4. Describe:		1. Stucco:		7		1		
3. Paint Only: 4. Other: 4a. Explain: Cracks – Note beams, columns, or others, including locations (description): Spalling – In beams, columns, or others, including locations (description): Rebar corrosion – Check appropriate line: 1. None Visible 2. Minor – Patching will suffice 3. Significant – Patching will suffice 4. Significant – Structural repairs required		2. 3.0000.		Good		Fair		Poor
4. Other: 4a. Explain:		2. Veneer:		Good		Fair		Poor
Aa. Explain: . Cracks – Note beams, columns, or others, including locations (description): . Spalling – In beams, columns, or others, including locations (description): . Rebar corrosion – Check appropriate line: 1. None Visible 2. Minor – Patching will suffice 3. Significant – Patching will suffice 4. Significant – Structural repairs required		3. Paint Only:		Good		Fair		Poor
n. Cracks – Note beams, columns, or others, including locations (description): Spalling – In beams, columns, or others, including locations (description): Rebar corrosion – Check appropriate line: None Visible Minor – Patching will suffice Significant – Patching will suffice Significant – Structural repairs required		4. Other:		Good		Fair		Poor
. Spalling – In beams, columns, or others, including locations (description): 1. Rebar corrosion – Check appropriate line: 1. None Visible 2. Minor – Patching will suffice 3. Significant – Patching will suffice 4. Significant – Structural repairs required		4a. Explain:						
. Spalling – In beams, columns, or others, including locations (description): 1. Rebar corrosion – Check appropriate line: 1. None Visible 2. Minor – Patching will suffice 3. Significant – Patching will suffice 4. Significant – Structural repairs required								
. Spalling – In beams, columns, or others, including locations (description): 1. Rebar corrosion – Check appropriate line: 1. None Visible 2. Minor – Patching will suffice 3. Significant – Patching will suffice 4. Significant – Structural repairs required								
. Spalling – In beams, columns, or others, including locations (description): 1. Rebar corrosion – Check appropriate line: 1. None Visible 2. Minor – Patching will suffice 3. Significant – Patching will suffice 4. Significant – Structural repairs required								
. Spalling – In beams, columns, or others, including locations (description): 1. Rebar corrosion – Check appropriate line: 1. None Visible 2. Minor – Patching will suffice 3. Significant – Patching will suffice 4. Significant – Structural repairs required								
 Rebar corrosion – Check appropriate line: None Visible Minor – Patching will suffice Significant – Patching will suffice Significant – Structural repairs required 	h. (Cracks – Note beams, columns, or o	others, including	g locations	s (des	scription)):	
 Rebar corrosion – Check appropriate line: None Visible Minor – Patching will suffice Significant – Patching will suffice Significant – Structural repairs required 	-							
 Rebar corrosion – Check appropriate line: None Visible Minor – Patching will suffice Significant – Patching will suffice Significant – Structural repairs required 	-							
 Rebar corrosion – Check appropriate line: None Visible Minor – Patching will suffice Significant – Patching will suffice Significant – Structural repairs required 	-							
 Rebar corrosion – Check appropriate line: None Visible Minor – Patching will suffice Significant – Patching will suffice Significant – Structural repairs required 	_							
 Rebar corrosion – Check appropriate line: None Visible Minor – Patching will suffice Significant – Patching will suffice Significant – Structural repairs required 		Snalling – In heams columns or ot	hers including l	ocations (לפכר	rintion):		
 None Visible Minor – Patching will suffice Significant – Patching will suffice Significant – Structural repairs required 	·· -	paning in ocams, columns, or oc	ilcis, iliciaaliib i	Ocacions (ucsc			
 None Visible Minor – Patching will suffice Significant – Patching will suffice Significant – Structural repairs required 	-							
 None Visible Minor – Patching will suffice Significant – Patching will suffice Significant – Structural repairs required 	_							
 None Visible Minor – Patching will suffice Significant – Patching will suffice Significant – Structural repairs required 	-							
 None Visible Minor – Patching will suffice Significant – Patching will suffice Significant – Structural repairs required 								
 Minor – Patching will suffice Significant – Patching will suffice Significant – Structural repairs required 	j. F	Rebar corrosion – Check appropria	te line:					
 Minor – Patching will suffice Significant – Patching will suffice Significant – Structural repairs required 		1. None Visible						
 3. Significant – Patching will suffice 4. Significant – Structural repairs required 			suffice					
4. Significant – Structural repairs required								
4 required								
			Перапз					
		4a. Describe.						

k. Were samples chipped out for examination in spalled areas?
 1. No Yes – Describe color, texture, aggregate, general quality:
7. FLOOR AND ROOF SYSTEM
a. Roof:
1) Roof pitch Flat Pitched
2) Roof structural framing Wood Steel Concrete
3) Structural framing condition Good Fair Poor
4) Roof deck material
Concrete Non-structural / insulating concrete on steel deck
Wood Bare steel deck
Structural concrete on steel deck

5)	Roof cladding type
	Tile Single ply (Membrane)
Ī	Asphalt shingles Metal
-	Built-up roofing (BUR) Other
L	
C)	
6)	Roof covering condition Condition Good Fair Poor
7)	Note water tanks, cooling towers, air conditioning equipment, signs, other heavy equipment and condition of support:
8)	Note types of drains, scuppers, and condition:
	·
9)	Describe parapet construction and current condition:
ŕ	

10)) Describe mansard construction and current condition:
	Condition Good Fair Poor
	-
11) Describe any roofing framing member with obvious overloading, overstress, deterioration, or excessive deflection:
12	2) Note any expansion joint and condition:
	Condition Good Fair Poor
	Condition Tun
b. Flo	por System(s):
	oor System(s):
	Describe (Type of system framing, material, spans, condition, balconies):
	Describe (Type of system framing, material, spans, condition, balconies):
	Describe (Type of system framing, material, spans, condition, balconies):
	Describe (Type of system framing, material, spans, condition, balconies):
	Describe (Type of system framing, material, spans, condition, balconies):
1.	Describe (Type of system framing, material, spans, condition, balconies): Condition Good Fair Poor
1.	Describe (Type of system framing, material, spans, condition, balconies): Condition Good Fair Poor Balcony structural system
1.	Describe (Type of system framing, material, spans, condition, balconies): Condition Good Fair Poor
1.	Describe (Type of system framing, material, spans, condition, balconies): Condition Good Fair Poor Balcony structural system
1.	Describe (Type of system framing, material, spans, condition, balconies): Condition Good Fair Poor Balcony structural system Edge and building face supported
1.	Describe (Type of system framing, material, spans, condition, balconies): Condition Good Fair Poor Balcony structural system Edge and building face supported
1.	Describe (Type of system framing, material, spans, condition, balconies): Condition Good Fair Poor Balcony structural system Edge and building face supported
2.	Describe (Type of system framing, material, spans, condition, balconies): Condition Good Fair Poor Balcony structural system Edge and building face supported Cantilever
2.	Describe (Type of system framing, material, spans, condition, balconies): Condition Good Fair Poor Balcony structural system Edge and building face supported Cantilever Balcony exposure (if structure is on the coast)
2.	Describe (Type of system framing, material, spans, condition, balconies): Condition Good Fair Poor Balcony structural system Edge and building face supported Cantilever
2.	Describe (Type of system framing, material, spans, condition, balconies): Condition Good Fair Poor Balcony structural system Edge and building face supported Cantilever Balcony exposure (if structure is on the coast)
2.	Describe (Type of system framing, material, spans, condition, balconies): Condition Good Fair Poor Balcony structural system Edge and building face supported Cantilever Balcony exposure (if structure is on the coast) Ocean facing
2.	Describe (Type of system framing, material, spans, condition, balconies): Condition Good Fair Poor Balcony structural system Edge and building face supported Cantilever Balcony exposure (if structure is on the coast) Ocean facing
2.	Describe (Type of system framing, material, spans, condition, balconies): Condition Good Fair Poor Balcony structural system Edge and building face supported Cantilever Balcony exposure (if structure is on the coast) Ocean facing

4.	Balcony construction
	Concrete
	Steel framing with concrete topping
	Wood
	Other (define in narrative)
L	
5.	Balcony condition rating
	Good
	Fair (e.g., minor cracking, minor rebar corrosion – patching will suffice)
	Poor (e.g., significant cracking, rebar corrosion requiring repairs)
	N/A
L	
6.	Balcony condition description (e.g., spalling, cracking, rebar corrosion)
7.	Stairs and escalators – Indicate location, framing system, material, and condition:
8.	Ramps – Indicate location, framing system, material, and condition:

Gua	Wood	Stainless steel	Glass	
	Metal	Ungalvanized Steel	CMU Kneewall	
	Aluminum	Concrete Kneewall	Other	
L <mark>0.</mark> Gu	ard condition (defi	ine ratings depending on guard	system)	
	Good			
	Fair			
<u> </u>	—			
	Poor			
	Poor			
_	Poor			
Ins		acced areas available for inspe	tion, and where it was found necessary	to oper
	spection – Note exp	posed areas available for inspe ection of typical framing memb	ction, and where it was found necessary	to oper
	spection – Note exp			to oper
	spection – Note exp			to oper
	spection – Note exp			to oper
	spection – Note exp			to oper
	spection – Note exp			to oper
	spection – Note exp			to oper
	spection – Note exp			to oper
	spection – Note exp			to oper
	spection – Note exp			to oper
cei	spection – Note exp			to oper
TEEL FI	spection – Note exp	ection of typical framing memb		to oper
TEEL FI	spection – Note expedilings, etc. for inspe	ection of typical framing memb		to oper

b.	Exposed Steel – Describe condition of paint and degree of corrosion:			
c.	Steel Connections – Describe type and condition:			
d.	Concrete or other fireproofing – Describe any cracking or spalling and note where any covering was removed for inspection:			
e.	Identify any steel framing member with obvious overloading, overstress, deterioration or excessive deflection (provide location(s)):			
f.	Elevator sheave beams, connections, and machine floor beams – Note column:			
9. CON	NCRETE FRAMING SYSTEM			
a.	Full description of structural system:			

b. 1. 2.	 Description	Not Significant n of members affected location and type of
c.	General co	ndition:
d.	Rebar Corre	osion – Check appropriate line:
	1.	Non-Visible
	2.	Location and description of members affected and type cracking
	3.	Significant – Patching will suffice
	4.	Significant – Structural repairs required (Describe):
e.	Were samp 1. 2.	les chipped out for examination in spalled areas? No Yes – Describe color, texture, aggregate, general quality:
f.	overstress,	concrete framing member (e.g., slabs and transfer elements) with obvious overloading, deterioration (e.g., efflorescence at underside of slab or at base of column or wall) or eflection (provide location(s)):

a.		tructural Glazing on the exterior envelope of hreshold building:		Yes	No
	1.	Previous Inspection Date:			
	2.	Description of Curtainwall Structural Glazing and adhe	sive se	alant:	
	3.	Describe condition of system:			
h F	vte	erior Doors:			
		pe (wood, steel, aluminum, sliding glass door, other): _			
2.	An	chorage type and condition of fasteners and latches:			
3.	Sea	alant type and condition of sealant:			
4.	Ge	eneral Condition:			
5.	De:	escribe repairs needed:			

		AMING
a. Τγ	/pe – I	Fully describe if mill construction, light construction, major spans, trusses:
_		
<u> </u>		
_		
b. In	dicate	e condition of the following:
	1.	Walls:
	າ	Floors:
	۷.	
ļ		Dest south a seef to see
	3.	Roof member, roof trusses:
<u> </u>		
c. N	ote m	etal fitting (i.e., angles, plates, bolts, splint pintles, other and note condition):
_		
_		

d.	Joints – Note if well fitted and still closed:
e.	Drainage – Note accumulations of moisture:
f.	Ventilation – Note any concealed spaces not ventilated:
g.	Note any concealed spaces opened for inspection:
h.	Identify any wood framing member with obvious overloading, overstress, deterioration, or excessive deflection:

12. BUILDING FAÇADE INSPECTION

a.	Identify and describe the exterior walls and appurtenances on all sides of the building (cladding type, corbels, precast appliques, etc.):				
b.	Identify attachment type of each appurtenance type (mechanically attached or adhered):				
C.	Indicate the condition of each appurtenance (distress, settlement, splitting, bulging, cracking, loosening of metal anchors and supports, water entry, movement of lintel or shelf angles or other defects):				
13. SP	PECIAL OR UNUSUAL FEATURES IN THE BUILDING				
a.	Identify and describe any special or unusual features (i.e., cable suspended structures, tensile fabric roof, large sculptures, chimney, porte-cochere, retaining walls, seawalls, etc.):				
b.	Indicate condition of special feature, its supports and connections:				
14 DI	ETERIORATION				
a.					

PHASE 2 Milestone Inspection 1. DESCRIPTION OF STRUCTURE a. Name on Title: b. Street Address: c. Legal Description: d. Owner's Name: Name of the Condo or Coop entity along with contact information: Name: Address: Telephone Number: Name and contact information of the licensed individual(s) conducting the inspection Inspection Firm or Individual Name:

Address:			
Telephone			
Number:	and .		İ
Inspection Commen Date:	iced	Inspection Completed [)ate:
	ature and seal of the licensed in	ndividual conducting the inspection	
Trovision for signic	ature and sear or the heerisea h	Tarvidual conducting the inspection	<u>'</u>
Licensed Design			
Professional:	Engineer	Architect	1
Name:			İ
License Number:		ļ	
		į	
		<u>i</u>	i
		<u> </u>	
		ļ	
		i	Seal
I am qualified to pra	actice in the discipline in whi	ch I am hereby signing,	
Signature:		Date:	
a December of the control of the con	and the plant of the second	of Contains	
1. Describe referenc	es cited under Phase 1 repo	ort for follow up:	
1. Describe referenc	es cited under Phase 1 repo	ort for follow up:	
1. Describe referenc	es cited under Phase 1 repo	ort for follow up:	
1. Describe referenc	es cited under Phase 1 repo	ort for follow up:	
1. Describe referenc	es cited under Phase 1 repo	ort for follow up:	
1. Describe referenc	es cited under Phase 1 repo	ort for follow up:	
1. Describe referenc	es cited under Phase 1 repo	ort for follow up:	
1. Describe referenc	es cited under Phase 1 repo	ort for follow up:	

2. Identify the damage and describe the extent of the repairs needed along with repair recommendations:

_	
3. Id	entify and describe areas requiring added inspection as well as results of any testing:
4. De	escribe manner and type of inspections performed:
_	
	<u>Note:</u> When testing and at the discretion of the design professional, scientific testing protocols must be used in addition to visual inspection techniques for determining the structural integrity of a building.
5. Pr	ovide graded urgency of each recommended repair
_	
	ate whether unsafe or dangerous conditions exist, as these terms are defined in the Florida Building
Code	e, were observed.

7. Identify and describe any items requiring additional inspections			
_			
_			
_			
_			
_			