

Advanced Building Code Online Module for the 2010 Florida Building Code

- I. Chapter 1-Scope and Administration
 - A. 102.2 Building
 - 1) Building and structures specifically regulated and preempted by the federal government.
 - 2) Railroads and ancillary facilities associated with the railroad.
 - 3) Nonresidential farm buildings on farms.
 - 4) Temporary buildings or sheds used exclusively for construction purposes.
 - B. 102.2.3 Building Official
 - C. 102.2.4 Amusement park rides jurisdiction
 - D. 105.2.2 Minor Repairs

- II. Chapter 2-Definitions
 - A. Awning
 - B. Canopy
 - C. Carbon Monoxide Alarm
 - D. Day-care home
 - E. Day-care occupancy
 - F. Family day care homes
 - G. Flexible plan buildings
 - H. High-rise building
 - I. Light-frame construction
 - J. Open plan buildings
 - K. Openings
 - L. Primary Structural Frame
 - 1) The columns
 - 2) Structural members having direct connections
 - 3) Members of the floor construction
 - 4) Bracing members
 - M. Reflective plastic core foil insulation
 - N. Valley
 - O. Value
 - P. Walkway, covered
 - Q. Walkway, enclosed

- III. Chapter 3-Use and Occupancy Classifications
 - A. 303.1.1 Restaurants
 - B. 304.1.1 Definitions
 - 1) Clinic, Outpatient

- IV. Chapter 4- Special Detailer Requirements Based on Use and Occupancy
 - A. 402.1.1 Occupancy

- B. 402.7.1 Attached garage
 - C. 402.8 Interior finish
 - D. 402.16.4 Plastics other than foam plastics
 - E. 403.2.1.2 Shaft enclosures
 - F. 403.3.1 Sprinkler risers
 - G. 403.5.4 Smokeproof exit enclosures
 - H. 403.5.5 Luminous egress path markings
 - I. 403.6.1 Fire service access elevator
 - J. 403.6.2 Occupancy evacuation elevators
 - K. 405.1 General-Building spaces between floor levels
 - L. 405.4.1 Number of compartments
- V. Chapter 5-General Building Heights and Areas
- A. 501.2 Address identification
 - B. 504.3 Roof structures
 - C. 505.1-Mezzanine
 - D. 506.4 Single occupancy buildings
 - E. 506.4 EXCEPTION- Single basement
- VI. Chapter 6-Types of Construction
- A. 602.1 General
- VII. Chapter 7-Fire and Smoke Protection Features
- A. 701.1 Scope
 - B. 703.2 Fire-resistance ratings
 - C. 703.2 EXCEPTION
 - D. 704.13.2 Manufacturer's installation instructions
 - E. 704.13.3 Substrate condition
 - F. 704.13.3.1 Surface conditions
 - G. 704.13.3.2 Primers, paints and encapsulants
 - H. 704.13.4 Temperature
 - I. 704.13.5 Finished condition
 - J. 705.2 Projections
 - 1) A point one-third the distance from the exterior face of the wall
 - 2) A point one-half the distance from the exterior face of the wall
 - 3) More than 12 inches (305 mm) into areas where openings are prohibited
 - K. 705.8.5 Vertical separation of openings
 - L. 705.8.5 EXCEPTION
 - M. 706.5.1 Exterior Walls
 - N. 711.5.2 Smoke and draft control doors
- VIII. Chapter 8- Interior Finished
- A. 801.2 Interior wall and ceiling finish
 - B. 801.3 Interior floor finish
 - C. 803.5 Textile wall coverings

- D. 803.6 Textile ceiling coverings
- E. 803.7 Expanded vinyl wall coverings

- IX. Chapter 9- Fire Protection Systems
 - A. 901.7 Fire areas
 - B. 906.2 General requirements
 - C. 906.2 EXCEPTIONS
 - D. 906.9 Extinguisher installation
 - E. 906.9.1 Extinguisher weighing 40 pounds or less
 - F. 906.9.2 Extinguisher weighing more than 40 pounds

- X. Chapter 10- Means of Egress
 - A. 1005.1 Minimum required egress width

- XI. Chapter 11-Accessibility
 - A. 1101.1 Scope
 - B. 1101.1.1 Criteria

- XII. Chapter 12- Interior Environment
 - A. 1203.2 Attic spaces
 - B. 1210.1 Floors and wall base finish materials
 - C. 1210.2 Walls and partions

- XIII. Chapter 13-Energy Efficiency
 - A. 1301.1 Scope
 - B. 1301.1.1 Criteria.

- XIV. Chapter 14-Exterior Walls