

# ENERGY PERFORMANCE LEVEL (EPL) DISPLAY CARD

**ESTIMATED ENERGY PERFORMANCE INDEX\* = 80**

The lower the EnergyPerformance Index, the more efficient the home.

123 Main Street, Orlando, FL, 32922-

<p>1. New construction or existing 2. Single family or multiple family 3. Number of units, if multiple family 4. Number of Bedrooms 5. Is this a worst case? 6. Conditioned floor area (ft<sup>2</sup>)</p>	<p>New (From Plans) Single-family 1 6 No 2400</p>	<p>9. Wall Types a. Frame - Wood, Exterior b. Concrete Block - Int Insul, Exterior c. Frame - Wood, Adjacent d. N/A</p>	<p>Insulation R=13.0 R=5.0 R=13.0 R=</p>	<p>Area 1230.00 ft<sup>2</sup> 944.00 ft<sup>2</sup> 176.00 ft<sup>2</sup> ft<sup>2</sup></p>																													
<p>7. Windows**</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 15%;">a. U-Factor:</td> <td style="width: 45%;">Dbl, U=0.75</td> <td style="width: 40%;">276.00 ft<sup>2</sup></td> </tr> <tr> <td>SHGC:</td> <td>SHGC=0.40</td> <td></td> </tr> <tr> <td>b. U-Factor:</td> <td>Dbl, U=0.60</td> <td>40.00 ft<sup>2</sup></td> </tr> <tr> <td>SHGC:</td> <td>SHGC=0.30</td> <td></td> </tr> <tr> <td>c. U-Factor:</td> <td>Dbl, U=0.50</td> <td>40.00 ft<sup>2</sup></td> </tr> <tr> <td>SHGC:</td> <td>SHGC=0.35</td> <td></td> </tr> <tr> <td>d. U-Factor:</td> <td>other (see details)</td> <td>60.00 ft<sup>2</sup></td> </tr> <tr> <td>SHGC:</td> <td>other (see details)</td> <td></td> </tr> <tr> <td colspan="2">Area Weighted Average Overhang Depth:</td> <td>2.000 ft.</td> </tr> <tr> <td colspan="2">Area Weighted Average SHGC:</td> <td>0.406</td> </tr> </table>	a. U-Factor:	Dbl, U=0.75	276.00 ft <sup>2</sup>	SHGC:	SHGC=0.40		b. U-Factor:	Dbl, U=0.60	40.00 ft <sup>2</sup>	SHGC:	SHGC=0.30		c. U-Factor:	Dbl, U=0.50	40.00 ft <sup>2</sup>	SHGC:	SHGC=0.35		d. U-Factor:	other (see details)	60.00 ft <sup>2</sup>	SHGC:	other (see details)		Area Weighted Average Overhang Depth:		2.000 ft.	Area Weighted Average SHGC:		0.406	<p>10. Ceiling Types a. Under Attic (Vented) b. N/A c. N/A</p>	<p>Insulation R=30.0 R= R=</p>	<p>Area 1200.00 ft<sup>2</sup> ft<sup>2</sup> ft<sup>2</sup></p>
a. U-Factor:	Dbl, U=0.75	276.00 ft <sup>2</sup>																															
SHGC:	SHGC=0.40																																
b. U-Factor:	Dbl, U=0.60	40.00 ft <sup>2</sup>																															
SHGC:	SHGC=0.30																																
c. U-Factor:	Dbl, U=0.50	40.00 ft <sup>2</sup>																															
SHGC:	SHGC=0.35																																
d. U-Factor:	other (see details)	60.00 ft <sup>2</sup>																															
SHGC:	other (see details)																																
Area Weighted Average Overhang Depth:		2.000 ft.																															
Area Weighted Average SHGC:		0.406																															
<p>8. Floor Types</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 15%;">a. Slab-On-Grade Edge Insulation</td> <td style="width: 45%;">R=0.0</td> <td style="width: 40%;">1200.00 ft<sup>2</sup></td> </tr> <tr> <td>b. Interior Floor</td> <td>R=0.0</td> <td>1200.00 ft<sup>2</sup></td> </tr> <tr> <td>c. N/A</td> <td>R=</td> <td>ft<sup>2</sup></td> </tr> </table>	a. Slab-On-Grade Edge Insulation	R=0.0	1200.00 ft <sup>2</sup>	b. Interior Floor	R=0.0	1200.00 ft <sup>2</sup>	c. N/A	R=	ft <sup>2</sup>	<p>11. Ducts a. Sup: Main, Ret: Main, AH: Main b. Sup: Attic, Ret: Attic, AH: 2nd Floor</p>	<p>R ft<sup>2</sup> 6 240 6 240</p>	<p>12. Cooling systems</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 15%;">a. Central Unit</td> <td style="width: 45%;">kBtu/hr</td> <td style="width: 40%;">Efficiency</td> </tr> <tr> <td></td> <td>20.0</td> <td>SEER:13.00</td> </tr> <tr> <td>b. Central Unit</td> <td>18.0</td> <td>SEER:13.00</td> </tr> </table>	a. Central Unit	kBtu/hr	Efficiency		20.0	SEER:13.00	b. Central Unit	18.0	SEER:13.00	<p>13. Heating systems</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 15%;">a. Electric Heat Pump</td> <td style="width: 45%;">kBtu/hr</td> <td style="width: 40%;">Efficiency</td> </tr> <tr> <td></td> <td>20.0</td> <td>HSPF:7.70</td> </tr> <tr> <td>b. Natural Gas Furnace</td> <td>18.0</td> <td>AFUE:0.78</td> </tr> </table>	a. Electric Heat Pump	kBtu/hr	Efficiency		20.0	HSPF:7.70	b. Natural Gas Furnace	18.0	AFUE:0.78		
a. Slab-On-Grade Edge Insulation	R=0.0	1200.00 ft <sup>2</sup>																															
b. Interior Floor	R=0.0	1200.00 ft <sup>2</sup>																															
c. N/A	R=	ft <sup>2</sup>																															
a. Central Unit	kBtu/hr	Efficiency																															
	20.0	SEER:13.00																															
b. Central Unit	18.0	SEER:13.00																															
a. Electric Heat Pump	kBtu/hr	Efficiency																															
	20.0	HSPF:7.70																															
b. Natural Gas Furnace	18.0	AFUE:0.78																															
<p>14. Hot water systems</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 15%;">a. Electric</td> <td style="width: 45%;">Cap: 50 gallons</td> <td style="width: 40%;">EF: 0.9</td> </tr> <tr> <td>b. Conservation features</td> <td colspan="2">None</td> </tr> </table>	a. Electric	Cap: 50 gallons	EF: 0.9	b. Conservation features	None		<p>15. Credits</p>	<p>Pstat</p>																									
a. Electric	Cap: 50 gallons	EF: 0.9																															
b. Conservation features	None																																

I certify that this home has complied with the Florida Energy Efficiency Code for Building Construction through the above energy saving features which will be installed (or exceeded) in this home before final inspection. Otherwise, a new EPL Display Card will be completed based on installed Code compliant features.

Builder Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Address of New Home: \_\_\_\_\_ City/FL Zip: \_\_\_\_\_



\*Note: This is not a Building Energy Rating. If your Index is below 70, your home may qualify for energy efficient mortgage (EEM) incentives if you obtain a Florida EnergyGauge Rating. Contact the EnergyGauge Hotline at (321) 638-1492 or see the EnergyGauge web site at [energygauge.com](http://energygauge.com) for information and a list of certified Raters. For information about the Florida Building Code, Energy Conservation, contact the Florida Building Commission's support staff.

\*\*Label required by Section 303.1.3 of the Florida Building Code, Energy Conservation, if not DEFAULT.