

TAC & Commission Tracking Chart

Code Change Cycle: 2010 Triennial Original Modification 3/1/2010 - 4/2/2010

TAC: Fire **Total Mods for this TAC:** 108

SubCode: Building

5-General Building Heights and Areas

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Modified |
|----------------|----------------|--------------|------------------|--|-----------------------------|
| 5 | 507.11 | 3879 | J Glenn-BASF | Retain base code (IRC) language as it provides better direction. | |
| <u>Comment</u> | | | | | |

7-Fire and Smoke Protection Features

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Modified |
|----------------|----------------|--------------|-------------------|--|-----------------------------|
| 7 | 709.1 | 3523 | Anthony Apfelbeck | Provides a new exception to 709.1 line 7 for tenant separation that moves the FBC into closer correlation with the 2009 IBC. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Modified |
|----------------|----------------|--------------|------------------|-----------------------------|-----------------------------|
| 7 | 712.3 | 3918 | J Glenn-BASF | Utilize base code language. | |
| <u>Comment</u> | | | | | |

9-Fire Protection Svstems

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

| | | | | | |
|------------------|-------------------------------------|--|--|--|--|
| TAC: Fire | Total Mods for this TAC: 108 | | | | |
|------------------|-------------------------------------|--|--|--|--|

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Modified |
|----------------|----------------|--------------|-------------------|--|-----------------------------|
| 9 | 903.2.11.3 | 3508 | Anthony Apfelbeck | Relocates the Florida specific code text in 903.6 to 903.2.11.3 for consistency with the underlying format of the IBC. | |
| <u>Comment</u> | | | | | |

10-Means of Egress

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Modified |
|----------------|----------------|--------------|------------------|---|-----------------------------|
| 10 | 1002.1 | 4354 | Joseph Belcher | Clarification of definition of means of escape. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Modified |
|----------------|----------------|--------------|------------------|--|-----------------------------|
| 10 | 1003.5 | 3966 | J Glenn-BASF | Use base code language for Elevation change. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Modified |
|----------------|----------------------|--------------|------------------|---|-----------------------------|
| 10 | 1004.8 Outdoor areas | 4256 | jim manning | This clarifies intent that "panic hardware" not be used on exterior (outdoor) gates on outdoor swimming pool fencing. Requirements to use "panic hardware" weakens other codes and causes confusion. Excepting outdoor pools is an easy fix to this controversy. This mod adds Exception 3. | |
| <u>Comment</u> | | | | | |

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

SubCode: Residential

3-Building Planning

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Approved as Modified</u> |
|----------------|----------------|--------------|------------------|---------------------------------|-----------------------------|
| 3 | 302.2.3 | 4112 | J Glenn-BASF | Retain base code (IRC) language | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Approved as Modified</u> |
|----------------|----------------|--------------|------------------|---------------------------------|-----------------------------|
| 3 | 315.1 | 4190 | J Glenn-BASF | Retain base code (IRC) language | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Approved as Modified</u> |
|----------------|----------------|--------------|------------------|---------------------------------|-----------------------------|
| 3 | 316.5.1 | 4191 | J Glenn-BASF | Retain base code (IRC) language | |
| <u>Comment</u> | | | | | |

SubCode: Building

2-Definitions

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

| | | | | |
|------------------|--|-------------------------------------|--|--|
| TAC: Fire | | Total Mods for this TAC: 108 | | |
|------------------|--|-------------------------------------|--|--|

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|-------------------|------------------------------|
| 2 | 202 | 3854 | Steven Bassett | revise definition | |
| <u>Comment</u> | | | | | |

4-Special Detailed Requirements Based on Use and Occupa

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|--|------------------------------|
| 4 | 403.4.7.2 | 3735 | Jon Caudill | The base code references an incorrect section of the code. This mod lists the correct reference in chapter 10. | |
| <u>Comment</u> | | | | | |

5-General Building Heights and Areas

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|---|------------------------------|
| 5 | 507.4 | 3526 | Michael Hoover | This change is requesting that the text in section 507.4 of the 2009 IBC be incorporated into the 2010 FBC to allow unlimited area for two story buildings. | |
| <u>Comment</u> | | | | | |

7-Fire and Smoke Protection Features

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|--|------------------------------|
| 7 | 706.1 | 3658 | Brad Schiffer | Removes the Florida specific 4-hour Fire Wall for Building separation. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|---|------------------------------|
| 7 | 706.3 | 3888 | J Glenn-BASF | Delete Florida specific amendment and utilize base code language. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|--|------------------------------|
| 7 | Table 706.4 | 3659 | Brad Schiffer | Removes the Florida specific 4-hour Fire Wall for Building separation. | |
| <u>Comment</u> | | | | | |

9-Fire Protection Systems

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|--|------------------------------|
| 9 | 901.6.1 | 3921 | J Glenn-BASF | Delete Florida Specific amendment. Use base code language for Fire Protective System monitoring. | |
| <u>Comment</u> | | | | | |

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|-------------------|--|------------------------------|
| 9 | 903.2.1.3 | 3506 | Anthony Apfelbeck | Restores the code text in 903.2.1.3 to the IBC text. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|-------------------|--|------------------------------|
| 9 | 903.4 | 3513 | Anthony Apfelbeck | Deletes the Florida specific language in favor of the 2010 IBC language. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|-------------------|--|------------------------------|
| 9 | 905 | 3514 | Anthony Apfelbeck | Coorelates the 2009 IBC changes with the Florida specific amendments which coorelate with the FFPC and the manual standpipe provision of Florida statutes. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|-------------------|---|------------------------------|
| 9 | 907.2.2 | 3517 | Anthony Apfelbeck | Revises 907.2.2 to be more consistent with the 2009 IBC while still incorporating the Florida specific change to match the FFPC. Clarifies the type of alarm system needed and the exception for such system. | |
| <u>Comment</u> | | | | | |

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Approved as Submitted</u> |
|----------------|----------------|--------------|-------------------|---|------------------------------|
| 9 | 909.3 | 3515 | Anthony Apfelbeck | Inserts the 2009 IBC "Special inspection and test requirements" for Smoke Control Systems in section 909.3. | |

Comment

10-Means of Egress

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Approved as Submitted</u> |
|----------------|----------------------------|--------------|------------------|---|------------------------------|
| 10 | 100.3.3, 1003.4, 1003.5 | 3967 | J Glenn-BASF | Restore base code language and delete Florida Specific amendments to section 1003.3 thru 1003.5.3 | |

Comment

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Approved as Submitted</u> |
|----------------|----------------|--------------|------------------|---|------------------------------|
| 10 | 1003.4 | 3965 | J Glenn-BASF | Using base code language for Floor surface. | |

Comment

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Approved as Submitted</u> |
|----------------|----------------|--------------|------------------|--|------------------------------|
| 10 | 1008.1.1 | 3968 | J Glenn-BASF | Restore exception 6 & 7. Delete reference to Type A or Type B units. | |

Comment

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|---|------------------------------|
| 10 | 1008.1 | 3970 | J Glenn-BASF | Correct a section reference as printed in the supplement. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|--|------------------------------|
| 10 | 1009.13 | 3992 | J Glenn-BASF | Retain base code language covering stairway to roof. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|--|------------------------------|
| 10 | 1009.4.2 | 3971 | J Glenn-BASF | Delete exception 5 and retain the based code language. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|--|------------------------------|
| 10 | 1010.5 | 3993 | J Glenn-BASF | Ramp width minimum covered in base code, delete exception. | |
| <u>Comment</u> | | | | | |

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Approved as Submitted</u> |
|----------------|----------------|--------------|------------------|---|------------------------------|
| 10 | 1012.4 | 3985 | J Glenn-BASF | Retain base code (IBC) language relating to handrail continuity requirements. | |

Comment

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Approved as Submitted</u> |
|----------------|----------------|--------------|------------------|--|------------------------------|
| 10 | 1012.9.1 | 3996 | J Glenn-BASF | Delete these requirements as not necessary | |

Comment

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Approved as Submitted</u> |
|----------------|----------------|--------------|------------------|---|------------------------------|
| 10 | 1012.9 | 4007 | J Glenn-BASF | Keep base code (IBC) language regarding Intermediate handrail requirements. | |

Comment

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Approved as Submitted</u> |
|----------------|----------------|--------------|------------------|---|------------------------------|
| 10 | 1013 | 3681 | Mohammed Shaikh | The requirements of this section for HVHZ is specified in 1618.4.3 and 1618.4.4 This modification is proposed to clarify these requirements and avoid confusion. This mod does not delete the Exceptions. | |

Comment

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Approved as Submitted</u> |
|----------------|----------------|--------------|------------------|---|------------------------------|
| 10 | 1018.1 | 3431 | Sam Elsheikh | To be consistent with Florida life safety code and the IBC base code, eliminate the requirement of corridors in occupancy type A with sprinkler system to have one hour rating. | |
| <u>Comment</u> | | | | | |

12-Interior Environment

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Approved as Submitted</u> |
|----------------|----------------|--------------|------------------|---|------------------------------|
| 12 | 1208.2 | 3916 | J Glenn-BASF | Delete Florida Code language to 120.2 and retain IBC language with the accessibility requirement in exception #2. | |
| <u>Comment</u> | | | | | |

26-Plastic

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Approved as Submitted</u> |
|----------------|----------------|--------------|------------------|--|------------------------------|
| 26 | 2612.2 | 3536 | Jaime Gascon | This modification corrects a typographical error in section 2612.2 Definitions - the definition of 'Glass Fiber Reinforced Plastic'. | |
| <u>Comment</u> | | | | | |

SubCode: Residential

2-Definitions

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Approved as Submitted</u> |
|----------------|--------------------------------------|--------------|------------------|--|------------------------------|
| 2 | 202 Foam Plastic Interior Trim | 4017 | J Glenn-BASF | Retain base code (IRC) language as it provides better direction. | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Approved as Submitted</u> |
|----------------|----------------|--------------|------------------|--|------------------------------|
| 2 | R202 | 4355 | Joseph Belcher | Clarifies definition of Means of Escape. | |

3-Building Planning

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Approved as Submitted</u> |
|----------------|----------------|--------------|------------------|---------------------------------|------------------------------|
| 3 | 302.2.2 | 4111 | J Glenn-BASF | Retain base code (IRC) language | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Approved as Submitted</u> |
|----------------|----------------|--------------|------------------|---------------------------------|------------------------------|
| 3 | 302.4.2 | 4128 | J Glenn-BASF | Retain base code (IRC) language | |

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|---------------------------------|------------------------------|
| 3 | 311.7.4.2 | 4101 | J Glenn-BASF | Retain base code (IRC) language | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|---------------------------------|------------------------------|
| 3 | 311.7.5.4 | 4127 | J Glenn-BASF | Retain base code (IRC) language | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|---------------------------------|------------------------------|
| 3 | 311.7.5 | 4131 | J Glenn-BASF | Retain base code (IRC) language | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|---------------------------------|------------------------------|
| 3 | 311.7.7.1 | 4122 | J Glenn-BASF | Retain base code (IRC) language | |
| <u>Comment</u> | | | | | |

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|---------------------------------|------------------------------|
| 3 | 311.7.7.2 | 4120 | J Glenn-BASF | Retain base code (IRC) language | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|---|------------------------------|
| 3 | 313 | 4420 | Jack Glenn | Delete R313 requiring fire sprinklers in on and two family dwellings without substitution.. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|---------------------------------|------------------------------|
| 3 | 316.1 | 4133 | J Glenn-BASF | Retain base code (IRC) language | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|---------------------------------|------------------------------|
| 3 | 316.5.3 | 4130 | J Glenn-BASF | Retain base code (IRC) language | |
| <u>Comment</u> | | | | | |

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

| | |
|------------------|-------------------------------------|
| TAC: Fire | Total Mods for this TAC: 108 |
|------------------|-------------------------------------|

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|---------------------------------|------------------------------|
| 3 | 316.5.7 | 4125 | J Glenn-BASF | Retain base code (IRC) language | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|---------------------------------|------------------------------|
| 3 | 316.6 | 4117 | J Glenn-BASF | Retain base code (IRC) language | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|---------------------------------|------------------------------|
| 3 | 346.5.9 | 4113 | J Glenn-BASF | Retain base code (IRC) language | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|--|------------------------------|
| 3 | R302.1 | 4189 | Joseph Belcher | Proposal is to permit screen enclosures to be attached to two-family dwellings without requiring a fire resistance rating for the screen wall similar to what is permitted for townhouse construction. | |
| <u>Comment</u> | | | | | |

TAC Recommendations

| | |
|--|---|
| <p>AS = Approved as Submitted</p> <p>AM = Approved as Modified</p> <p>NAR = No Affirmative Recommendation</p> | <p>W = Withdrawn</p> <p>I = Insufficient (incomplete or does not meet criteria)</p> |
|--|---|

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|---|------------------------------|
| 3 | R302.3 | 4195 | Joseph Belcher | Provides for attachment of screen enclosure to two-family dwelling without requiring fire resistance rating of screen wall. | |

Comment

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | Approved as Submitted |
|----------------|----------------|--------------|------------------|-----------------------------------|------------------------------|
| 3 | R310.1 | 4092 | jeffrey collins | Removes egress window requirement | |

Comment

SubCode: Building

2-Definitions

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|--|--|
| 2 | 202 | 3875 | J Glenn-BASF | Retain base code (IBC) language as it provides better direction. | |

Comment

3-Use and Occupancy Classification

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|--|--|
| 3 | 306.4 | 3876 | J Glenn-BASF | Delete Florida Specific Amendment that created Section 306.4 | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|--|--|
| 3 | 308.5 | 3997 | J Glenn-BASF | Provide reference to Occupancy class D | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|---|--|
| 3 | R315 | 3844 | marilyn williams | The intent of the proposal is to align the Florida building code supplement with nationally recognized consensus standards for carbon monoxide detection. | |
| <u>Comment</u> | | | | | |

4-Special Detailed Requirements Based on Use and Occupa

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|--|--|
| 4 | 405.3 | 3878 | J Glenn-BASF | Remove "Florida Specific" language and retain language from the base code. | |
| <u>Comment</u> | | | | | |

5-General Building Heights and Areas

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|---|--|
| 5 | 508.4 | 4083 | raul alvarez | Fire separation shall be modify based on fire resistivity and allowable area for the same type of construction. Proposed fire separation: B vs F1 2hrs. B vs M 2hrs. B vs S1 2hrs. M vs F1 2hrs. M vs S1 2hrs. F1 vs S1 1hr. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|--|--|
| 5 | 509.4 | 3881 | J Glenn-BASF | Retain base code (IBC) language as it provides better direction. | |
| <u>Comment</u> | | | | | |

7-Fire and Smoke Protection Features

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|-----------------|--------------|------------------|---|--|
| 7 | 706.3 Materials | 3465 | Robert Sullivan | Foam plastic masonry insulation products that are claimed to increase fire-resistance ratings of CMU walls from 2-hrs to 3-hrs or 4-hrs will be required to be listed by a code approved listing service. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|--|--|
| 7 | 709.4 | 3917 | J Glenn-BASF | Retain language from the base code and delete the "Florida Specific" language as the IBC adequately addresses the fire protection issue. | |
| <u>Comment</u> | | | | | |

9-Fire Protection Svstems

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|---|--|
| 9 | 202 and 916 | 3840 | marilyn williams | The intent of the proposal is to align the Florida building code supplement with nationally recognized consensus standards for carbon monoxide detection. | |

Comment

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|-------------------|---|--|
| 9 | 901.6.1 | 3505 | Anthony Apfelbeck | Restores the language in 901.6.1 to the text of the 2009 IBC. | |

Comment

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|--|--|
| 9 | 902.3 | 4011 | J Glenn-BASF | Using base code (IBC) language for requiring automatic sprinkler systems | |

Comment

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|-------------------|--|--|
| 9 | 903.3.1.4 | 3509 | Anthony Apfelbeck | Deletes the Florida specific language in 903.3.1.4 and return the code to the core text of the FBC. (903.3.1.4 does not exist in the IBC.) | |

Comment

10-Means of Egress

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|--|--|
| 10 | 1007.4 | 4379 | Rick Dixon | The modification reinstates IBC requirements referenced from 1003.7 Exception for when elevators can be a component of a required means of egress. | |

Comment

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|---|--|
| 10 | 1008.1.4.2 | 3969 | J Glenn-BASF | Delete exception 4 and renumber 5 to 4. | |

Comment

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|--|--|
| 10 | 1009.12 | 3990 | J Glenn-BASF | Retain base code language while deleting exception 6 | |

Comment

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|--|--|
| 10 | 1009.13.1 | 3991 | J Glenn-BASF | Retain language from base code for roof access | |

Comment

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|---|--|
| 10 | 1009.5 | 3972 | J Glenn-BASF | Delete exception 1 numbering and delete exception 2 | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|--------------------|--|
| 10 | 1009.8 | 3973 | J Glenn-BASF | Delete exception 2 | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|--|--|
| 10 | 1010.8 | 3994 | J Glenn-BASF | Ramp handrails covered in base code, leave exception for fair housing. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|---|--|
| 10 | 1026.8 | 3430 | Jose Guanch | I'm proposing adding the word "first" into the first sentence in this paragraph in order to clarify the sentence. When you read the remainder of the paragraph it makes complete sense to include the word "first" in the initial sentence. | |
| <u>Comment</u> | | | | | |

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

| | | | |
|------------------|-------------------------------------|--|--|
| TAC: Fire | Total Mods for this TAC: 108 | | |
|------------------|-------------------------------------|--|--|

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|--|--|
| 10 | 1037.6 | 4071 | Chuck Anderson | FL specific language omits exception that allows 5 sqft. egress window on grade level. | |
| <u>Comment</u> | | | | | |

16-Structural Design

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|--|--|
| 16 | 1618.4.3 | 3680 | Mohammed Shaikh | Revise spacing of object in Other than group R occupancy from 6 inch(152mm) to 4 nch (102mm) in section 1618.4.3 to be consistent with group R occupancy in 1618.4.4 | |
| <u>Comment</u> | | | | | |

26-Plastic

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|--|--|
| 26 | 2603 | 3685 | Robert Sullivan | Masonry foam insulation products that are claimed to increase fire-ratings of CMU walls from 2 or 3-hrs or 4-hrs are often supported by ASTM E-119 testing performed on similar but different CMU walls e.g. CMU made with different aggregate and/or foam is formulated with different ingredients. | |
| <u>Comment</u> | | | | | |

31-Special Construction

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|---|--|
| 31 | 3102.1 | 4168 | ali hosein | To recognize to use thatched roof of palm or palmetto or other traditional materials as a flammable roofing materials that need to maintain a fire rating | |

Comment

SubCode: Residential

3-Building Planning

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|---------------------------------|--|
| 3 | 302.5.2 | 4134 | J Glenn-BASF | Retain base code (IRC) language | |

Comment

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|---|--|
| 3 | 310.6 | 3400 | William Dumbaugh | Provide for a minimum height of a emergency escape and rescue door. | |

Comment

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|---------------------------------|--|
| 3 | 311.3 | 4100 | J Glenn-BASF | Retain base code (IRC) language | |

Comment

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|--------------------------------|--|
| 3 | 324.1 | 4119 | J Glenn-BASF | Retan base code (IRC) language | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|--|--|
| 3 | R 310.1.4.1 | 3401 | William Dumbaugh | Provides for uniform and safe locations of operational constraints used on an emergency escape and rescue opening. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|---|--|
| 3 | R 310.1.4.2 | 3402 | William Dumbaugh | Provides for a maximum height of operational constraints used on an emergency escape and rescue window. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|---|--|
| 3 | R 311.2 | 3403 | William Dumbaugh | Provides for uniform and safe location of locks and latches used on an egress door. | |
| <u>Comment</u> | | | | | |

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|------------------------------|--|
| 3 | R302.1.1 | 4091 | jeffrey collins | Attic protection via soffits | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|--------------------------|--|
| 3 | R302.12 | 4090 | jeffrey collins | Adds attic draftstopping | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|--|--|
| 3 | R302.7 | 4088 | jeffrey collins | Remove the 1/2" gypsum requirement for under stairs and under stair walls. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|---|--|
| 3 | R310.1 | 4446 | jeffrey collins | Removes egress window requirement for sprinklered dwellings | |
| <u>Comment</u> | | | | | |

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|--|--|
| 3 | R316.4 | 4089 | jeffrey collins | Removes the thermal barrier requirement. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|---|--|
| 3 | Table R302.1 | 4142 | jeffrey collins | Provides exterior wall and projection distances for sprinklered and unsprinklered dwellings | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|---|--|
| 3 | Table R302.1 | 4445 | jeffrey collins | Provides exterior wall and projection distances for sprinklered and unsprinklered dwellings | |
| <u>Comment</u> | | | | | |

5-Floors

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | No Affirmative Recommendation with a Second |
|----------------|----------------|--------------|------------------|---|--|
| 5 | R501.3 | 4138 | jeffrey collins | Protection of floor framing components or systems composed of prefabricated I joists, trusses, and cold formed steel. | |
| <u>Comment</u> | | | | | |

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

SubCode: Building

7-Fire and Smoke Protection Features

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Withdrawn</u> |
|----------------|----------------|--------------|------------------|---|------------------|
| 7 | 706.1.1 | 3884 | J Glenn-BASF | Uses base code language for Party walls for consistency with national practice. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Withdrawn</u> |
|----------------|----------------|--------------|------------------|---|------------------|
| 7 | 706.1 | 3886 | J Glenn-BASF | Utilize the base code language for "fire walls";. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Withdrawn</u> |
|----------------|----------------|--------------|------------------|--------------------|------------------|
| 7 | Table 706.4 | 4013 | J Glenn-BASF | Remove Footnote C. | |
| <u>Comment</u> | | | | | |

9-Fire Protection Svstems

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Withdrawn</u> |
|----------------|----------------|--------------|------------------|---|------------------|
| 9 | 903.2.1.3 | 3922 | J Glenn-BASF | Using base code language for requiring automatic sprinkler systems. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Withdrawn</u> |
|----------------|----------------|--------------|------------------|--|------------------|
| 9 | 903.2.11.3 | 4010 | J Glenn-BASF | Using base code(IBC) language for requiring automatic sprinkler systems. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Withdrawn</u> |
|----------------|----------------|--------------|------------------|---|------------------|
| 9 | 903.2.11.3 | 4012 | J Glenn-BASF | Using base code (IBC) language for requiring automatic sprinkler systems. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Withdrawn</u> |
|----------------|----------------|--------------|-------------------|--|------------------|
| 9 | 903.2.3 | 3507 | Anthony Apfelbeck | Restores the code text in 903.2.3 to the IBC text. | |
| <u>Comment</u> | | | | | |

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Withdrawn</u> |
|----------------|----------------|--------------|------------------|---|------------------|
| 9 | 903.4 | 3923 | J Glenn-BASF | Using base code language for requiring automatic sprinkler systems monitoring. "Exceptions unchanged" | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Withdrawn</u> |
|----------------|----------------|--------------|------------------|---|------------------|
| 9 | 905.1 | 3925 | J Glenn-BASF | Using base code language for requiring Standpipe systems. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Withdrawn</u> |
|----------------|----------------|--------------|------------------|---|------------------|
| 9 | 905.3.1 | 4008 | J Glenn-BASF | Using base code (IBC) language for height of Standpipe systems. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Withdrawn</u> |
|----------------|----------------|--------------|------------------|--|------------------|
| 9 | 907.2.2 | 4009 | J Glenn-BASF | Using base code (IBC) language for Fire Alarm systems. | |
| <u>Comment</u> | | | | | |

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 108

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Withdrawn</u> |
|----------------|----------------|--------------|------------------|---|------------------|
| 9 | 909.3 | 3927 | J Glenn-BASF | Using base code language for smoke control testing systems. | |
| <u>Comment</u> | | | | | |

10-Means of Egress

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Withdrawn</u> |
|----------------|----------------|--------------|------------------|---|------------------|
| 10 | 1002.1 | 3964 | J Glenn-BASF | Change restores the based code language. The Florida Specific amendment makes the section to general while the based code addresses those areas where obstructions may be place with the need for permit. | |
| <u>Comment</u> | | | | | |

| <u>Chapter</u> | <u>Section</u> | <u>Mod #</u> | <u>Proponent</u> | <u>Summary</u> | <u>Withdrawn</u> |
|----------------|----------------|--------------|------------------|---|------------------|
| 10 | 1009.12 | 4006 | J Glenn-BASF | Retain base code (IBC) language while deleting exception 6. | |
| <u>Comment</u> | | | | | |

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |

TAC & Commission Tracking Chart

Search Criteria

| | | | |
|-------------------------------|-----|------------------------------|------|
| Modification #: | ALL | Code Version: | 2010 |
| Code Change Cycle: | ALL | Sub Code: | ALL |
| Chapter & Topic: | ALL | Section: | ALL |
| Date Submitted From: | ALL | Date Submitted To: | ALL |
| TAC: | ALL | TAC Recommendation: | ALL |
| Commission Action: | ALL | Proponent Last Name: | ALL |
| Proponent First Name: | ALL | Text of Modification: | ALL |
| Related Modifications: | ALL | Affects HVHZ: | ALL |

TAC Recommendations

| | |
|--|--|
| AS = Approved as Submitted | W = Withdrawn |
| AM = Approved as Modified | I = Insufficient (incomplete or does not meet criteria) |
| NAR = No Affirmative Recommendation | |