

**TAC & Commission Tracking Chart**

**Code Change Cycle:** 2010 Triennial Original Modification 3/1/2010 - 4/2/2010

**TAC:** Structural **Total Mods for this TAC:** 168

**SubCode:** Building

**2-Definitions**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Modified</b>
2	202	4332	Chuck Anderson	Includes Tubular Daylighting Devices in definition of unit skylights	
<u>Comment</u>					

**14-Exterior Walls**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Modified</b>
14	1405.1	4466	Joseph Belcher	Proosal eliminates wind load provisions of AAMA 1402 which are contrary to the wind load provisions of the code.	
<u>Comment</u>					

**17-Structural Tests and Special Inspections**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Modified</b>
17	1715.9	3855	Joseph Belcher	Adds labeling requirements for soffits.	
<u>Comment</u>					

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Modified</u>
17	1716.1	4411	Stuart Lewis	Delete sec. 1716.1 in its entirety since referenced standard, D1761, is not relevant to joist hangers & content is in ASTM D 7147-05 so that should be referenced in sec. 2303.5.	
<u>Comment</u>					

**20-Aluminum**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Modified</u>
20	2003.9	4345	Joseph Belcher	The proposal adds provisions for sunrooms in the HVHZ section of the code.	
<u>Comment</u>					

**21-Masonry**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Modified</u>
21	2107.5	4064	Joseph Belcher	Updates existing Florida Specific Amendment to incorporate section and equation number changes of TMS 402/ACI 530/ASCE 5-2008.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Modified</u>
21	2122	4135	Joseph Belcher	The modification updates the HVHZ provisions for the design and construction of reinforced unit masonry.	
<u>Comment</u>					

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

**35-Referenced Standards**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Modified</b>
35	3501	3890	Rebecca Quinn	Modification to correct citations to Code of Federal Regulations.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Modified</b>
35	35	4264	Chuck Anderson	Updates AAMA referenced standards, ASTM glass and impact standards.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Modified</b>
35	Referenced Standards	4350	Joseph Belcher	Delete organization.	
<u>Comment</u>					

**SubCode:** Existing Building

**6-Alterations Level 1**

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Modified</u>
6	611.8.1.	3512	Jack Glenn	Notes are taken from Table R802.2.9.1 and are necessary to determine the actual uplift based on the roof span and overhang.	
<u>Comment</u>					

**16-Retrofitting**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Modified</u>
16	1605	4444	T Stafford	New provisions are added to specify uplift loads for gable rake overhang outlookers.	
<u>Comment</u>					

**SubCode:** Residential

**2-Definitions**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Modified</u>
2	202	3895	Rebecca Quinn	Florida-specific mods to retain I-Code flood provisions. Defines 'local floodplain management ordinance' where communities will adopt FIRMs and higher stnds for NFIP Community Rating System. FBC requested statutory authority so that local higher stnds do not sunset every 3 years.	
<u>Comment</u>					

**3-Building Planning**

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Modified</u>
3	308.6.1	4336	Chuck Anderson	Includes Tubular Daylighting Devices in definition of unit skylights	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Modified</u>
3	R301.1, 322.1.4, 322.1.7 & amp; 322.1.9	3896	Rebecca Quinn	Florida-specific modifications to Chapter 3, related to retaining flood provisions of the I-Codes. Clarifies that structures seaward of the CCCL must also comply with R322 if also located in a flood hazard area.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Modified</u>
3	R301.2.1.1.2	4346	Joseph Belcher	Clarifies the application of AAMA 2100 and that the design is in accordance with the wind speeds and wind loads of the Florida Building Code.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Modified</u>
3	R301.2.1.1	4108	Paul Coats	This modification replaces the outdated WPPC Guide to Wood Construction in High Wind Areas with the similar AF&PA WFCM Guide to Wood Construction in High Wind Areas.	
<u>Comment</u>					

**7-Wall Covering**

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

<b>TAC:</b> Structural	<b>Total Mods for this TAC:</b> 168
------------------------	-------------------------------------

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Modified</b>
7	R703.8	3584	Dick Wilhelm	Defines who is responsible for flashing instructions while also clarifying that door and window installation be in accordance with manufacturer's instructions and window and door flashing in accordance to R703.8 adds by reference, FMA/AAMA and FMA/WDMA installation protocols.	
<u>Comment</u>					

**8-Roof-Ceiling Construction**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Modified</b>
8	806.4	4051	J Glenn-BASF	Retain base code (IRC) language.	
<u>Comment</u>					

**44-High Velocity Hurricane Zones**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Modified</b>
44	4403.7.8	3843	Mohammed Shaikh	Clarification of required design Flood Loads for ASCE 7 in HVHZ	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Modified</b>
44	R4403.12	4305	Joseph Belcher	Proposal deletes an obsolete table no longer contained in ASCE 7 and permits the use of the AAF Guide to design screen enclosures.	
<u>Comment</u>					

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Modified</u>
44	R4403.12	4333	Joseph Belcher	Adds aluminum screen enclosure design pressure table from Chapter 22. Add windbreaker provisions from Chapter 16, Section 1622.	

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Modified</u>
44	R4403.13	3903	Rebecca Quinn	Florida-specific modifications related to retaining flood provisions of the I-Codes. These mod clarifies that structures and foundations seaward of the CCCL must also comply with R322 if also located in a flood hazard area.	

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Modified</u>
44	R4403.13	4344	Joseph Belcher	The proposal adds provisions for sunrooms in the HVHZ section of the code.	

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Modified</u>
44	R4407	4137	Joseph Belcher	The modification brings the section on reinforced unit masonry up to date with the national masonry standards.	

Comment

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Modified</b>
44	R4410.2.1.11	3669	Jaime Gascon	The modification clarifies that 'comparative' analysis is allowed, as opposed to the used term 'rational' analysis when the fixed glazing product differs from the one approved.	
<u>Comment</u>					

SubCode: Building

**8-Interior Finishes**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
8	801.5	4398	Christopher Jones	Clarify the elevation below which flood damage-resistant materials are required is the elevation specified in 1612.4.	
<u>Comment</u>					

**12-Interior Environment**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
12	1202.1	4109	Joseph Belcher	The modifications clarify that roofs of sunrooms without sloped glazing are solid roofs and clarifies open areas are areas with operable windows or fixed glass or glass doors . The clarifications are needed to address confusion demonstrated during the permitting phase for sunroom projects.	
<u>Comment</u>					

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	



**TAC & Commission Tracking Chart**

<b>TAC:</b> Structural	<b>Total Mods for this TAC:</b> 168
------------------------	-------------------------------------

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
12	1203.3.2	3986	J Glenn-BASF	1. Delete Florida Specific amendment to 1203.3.2 and retain IBC language. 2. Change code reference to Chapter 13 of the Florida Building Code, Building 3. Retain exception #5 and renumber to #6.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
12	1210.3	3989	J Glenn-BASF	Delete Florida Code language to 1210.2 and retain IBC language with the accessibility requirement in exception #2.	
<u>Comment</u>					

**14-Exterior Walls**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
14	1403.2	3909	J Glenn-BASF	Delete Florida Code language to 1403.2 and retain IBC language.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
14	1403.5	4399	Christopher Jones	Clarify the elevation below which flood damage-resistant materials are required is the elevation specified in 1612.4.	
<u>Comment</u>					

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

<b>TAC:</b> Structural		<b>Total Mods for this TAC:</b> 168	
------------------------	--	-------------------------------------	--

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
14	1403.7	3998	J Glenn-BASF	Retain Florida Specific language	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
14	1404.10	3914	J Glenn-BASF	Change 1404.10 to correct terminology and reference the proper type of material.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
14	1404.2	3912	J Glenn-BASF	Change 1404.2 to include language from IBC and add "Florida Specific language. Retain Florida Specific Language in Section 1404.2.1	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
14	1404.9	3913	J Glenn-BASF	Change 1404.9 title to include soffit and to include language from IBC and add "Florida Specific language." Retain Florida Specific Language in Section 1404.9.1	
<u>Comment</u>					

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

<b>TAC:</b> Structural	<b>Total Mods for this TAC:</b> 168
------------------------	-------------------------------------

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
14	1404	3856	Joseph Belcher	Adds reference to new section on labeling of soffits.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
14	1405.10	4002	J Glenn-BASF	Change 1405.10 to retain base code (IBC) language.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
14	1405.11.4	4003	J Glenn-BASF	Change 1405.11.4 to retain base code (IBC) language.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
14	1405.14.1	4004	J Glenn-BASF	Change 1405.14.1 to retain base code (IBC) language.	
<u>Comment</u>					

**TAC Recommendations**

<p><b>AS</b> = Approved as Submitted</p> <p><b>AM</b> = Approved as Modified</p> <p><b>NAR</b> = No Affirmative Recommendation</p>	<p><b>W</b> = Withdrawn</p> <p><b>I</b> = Insufficient (incomplete or does not meet criteria)</p>
--	---

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
14	1405.3.2	3999	J Glenn-BASF	Change 1405.3.2 to retain IBC language	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
14	1405.4	4000	J Glenn-BASF	Change 1405.4 to retain IBC language.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
14	1405.8	4001	J Glenn-BASF	Change 1405.8 to retain IBC language.	
<u>Comment</u>					

**16-Structural Desian**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
16	1609.1.2	4232	Joseph Belcher	The proposal adds and Exception from impact protection for screen or removable vinyl and acrylic wind panels on exterior balconies and porches.	
<u>Comment</u>					

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
16	1609.1	3857	Joseph Belcher	Adds reference to new section on Soffit labeling.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
16	1609.4.3	3665	Mo Madani	Clarify the intent of Section 1609.4.3 with regard to the 20% increase in uplift load regarding roof-to-wall connection.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
16	1612	3891	Rebecca Quinn	Florida-specific modifications to Chapter 16, related to retaining flood provisions of the I-Codes. The Flood Resistant Standards Workgroup recommended a table to show where all flood provisions are located.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
16	1618.4.6.3	3725	Jaime Gascon	Correlates the HVHZ requirements on use of laminated glazing for glass railings used in the wind borne debris region with those of the 2009 IBC.	
<u>Comment</u>					

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
16	1618.9	3841	Mohammed Shaikh	Clarification of required design Flood Loads of ASCE 7	

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
16	1622.1	4296	Joseph Belcher	Modification proposes use of AAF Guide to Aluminum Construction in High Wind Areas by designers in the HVHZ.	

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
16	1626.1	4347	Joseph Belcher	Adds provisions allowing the enclosure of balconies or porches with screen or removable vinyl or acrylic panels with invoking opening protection requirements.	

Comment

**17-Structural Tests and Special Inspections**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
17	1715.5.3	3631	Jaime Gascon	Moves section 1715.5.3.3.1 on glazed curtain wall, window wall and storfront systems to a new section 1715.5.6; moves remaining 'exception' in 1715.5.3.3.1 to 1715.5.3 Exterior Door Assemblies.	

Comment

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

<b>TAC:</b> Structural	<b>Total Mods for this TAC:</b> 168
------------------------	-------------------------------------

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
17	1715.9	3231	Joseph Belcher	Establishes installation criteria (manufacturer's installation instructions), requires instructions available for inspector, provides for interchangeability of components, fasteners, etc., specifies C&C loads in accordance with 1609.1.1, and specifies factor of safety for testing.	
<u>Comment</u>					

**18-Soils and Foundations**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
18	1801.1, 1804.4	3887	Rebecca Quinn	Florida-specific modifications to Chapter 18, related to retaining flood provisions of the I-Codes.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
18	1801.1	3457	Mohammed Shaikh	Exception in 1801.1 Scope is proposed to revise as follows Exception: Buildings and structures located within the high-velocity hurricane zone shall comply with the provisions of Sections 1816 through 1834 and 1805	
<u>Comment</u>					

**20-Aluminum**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
20	2002.4	4216	Joseph Belcher	Proposal reduces concentrated load on purlins from 300 # to the OSHA required load for fixed ladders, 200#. The reduction applies to purlins only.	
<u>Comment</u>					

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
20	2002.6	4279	Joseph Belcher	Proposal to clarify wind load design criteria for sunrooms and to clarify intent of inclusion of AAMA Categories for sunrooms in code.	

Comment

**21-Masonry**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
21	2107.1	4063	Joseph Belcher	Further modifies Florida Specific Amendment related to inspection and lap splice provisions of TMS 402/ACI 530/ ASCE 5 and TMS 602/ACI 530.1/ ASCE 6 to make them current with 2008 Editions of the documents.	

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
21	2114.2	4066	Joseph Belcher	Changes the order of the organizations developing the masonry standards to agree with the foundation code.	

Comment

**22-Steel**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
22	2214 and 2222	3460	Thomas Sputo	Update versions of design references for HVHZ within Sections 2214 and 2222.	

Comment

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	



**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
22	2214.3	3633	Mohammed Shaikh	Section 2214.3 requires modification due to adoption of Manual of Steel Construction Thirteenth edition	

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
22	2218.3	4248	William Shoemaker	The proposal cleans up vague code language and more appropriately references the welder qualification requirements of the AWS Code rather than AWS certification of welders.	

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
22	2222.3.4	4251	William Shoemaker	The proposal deletes a subsection in the cold-formed steel construction section that belongs only in Section 2223.10 with respect to metal building systems.	

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
22	2223.10.2; 2223.10.5	4276	William Shoemaker	This proposal removes outdated terminology with respect to this form of construction.	

Comment

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

<b>TAC:</b> Structural	<b>Total Mods for this TAC:</b> 168				
------------------------	-------------------------------------	--	--	--	--

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
22	2223.10.4	4278	William Shoemaker	This proposal deletes a redundant section that is already covered elsewhere in the code.	
<u>Comment</u>					

**23-Wood**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
23	2304.11.6	3931	J Glenn-BASF	Using base code language for termite protection.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
23	2314.0	4107	Paul Coats	This proposal updates the currently referenced standards to their current editions. In addition, it adds the ANSI/AF&PA Special Design Provisions for Wind and Seismic (SDPWS-2008).	
<u>Comment</u>					

**24-Glass and Glazing**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
24	2411.1.11	3668	Jaime Gascon	The modification clarifies that 'comparative' analysis is allowed, as opposed to the used term 'rational' analysis when the fixed glazing product differs from the one approved.	
<u>Comment</u>					

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
24	2411.1	3580	Jaime Gascon	This modification moves section 2411.3.3.7 on the requirements for 'exterior safety glazed lite', to a new section - 2411.1 General.	
<u>Comment</u>					

**26-Plastic**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
26	2411.1.10	3470	William Dumbaugh	Delete Section 2411.1.10	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
26	2603.8	3930	J Glenn-BASF	Using base code language for termite protection for foam plastic.	
<u>Comment</u>					

**31-Special Construction**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
31	3105.1	3961	J Glenn-BASF	Use base code language for awning provisions	
<u>Comment</u>					

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

**33-Safeguads Durina Construction**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
33	3304.1.4	3959	J Glenn-BASF	Restore reference to 1804.5 as the correct reference. Section 1803.5 Deals with soil investigation while Section 1804.5 deals with compacted fill. Delete the special inspector language.	
<u>Comment</u>					

**35-Referenced Standards**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
35	1.0	4099	Paul Coats	This proposed modification updates the referenced standards to the latest versions referenced in the 2009 IBC, and corrects some out of date references.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
35	AISC	3638	Mohammed Shaikh	Chapter 35 AISC requires modification due to adoption of Manual of steel construction Thirteenth edition	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
35	ASTM	4417	Stuart Lewis	Add ASTM D 7147-05, update D1761-06 line.	
<u>Comment</u>					

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
35	Referenced Standards	4034	Amanda Hickman	Add AMCA 540 to Chapter 35 - Referenced Standards	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
35	Referenced Standards	4341	Joseph Belcher	Adds a reference to a new section addressing the use of the AAF Guide to Aluminum Construction in High Wind Areas in the HVHZ.	
<u>Comment</u>					

**SubCode:** Existing Building

**6-Alterations Level 1**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
6	606.5	4233	Joseph Belcher	The proposal adds and Exception from impact protection for screen or removable vinyl and acrylic wind panels on exterior balconies and porches and relocates the HVHZ provision as an Exception.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
6	611.8.1.4	4470	Randall Shackelford	Changes fastener specification for connector to that recommended by the manufacturer.	
<u>Comment</u>					

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
6	611.8.1.6	4471	Randall Shackelford	Changes fastener specification for connector to that recommended by the manufacturer.	

Comment

**SubCode:** Residential

**2-Definitions**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
2	202 Accessible	4014	J Glenn-BASF	Retain base code (IRC) language as it provides better direction	

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
2	202 Basic wind speed	4015	J Glenn-BASF	Retain base code (IRC) language as it provides better direction.	

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
2	R202	4110	Joseph Belcher	Clarifies terms related to roofs and to open areas. Current language has caused confusion at the permitting phase of sunroom construction projects.	

Comment

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

<b>TAC:</b> Structural	<b>Total Mods for this TAC:</b> 168
------------------------	-------------------------------------

**3-Building Planning**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
3	301.2.1.4.3	4196	J Glenn-BASF	Language is redundant as the exposure categories are previously defined	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
3	301.2	4199	T Stafford	This proposal updates the component and cladding loads table for consistency with ASCE 7-05.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
3	316.5.12	4118	J Glenn-BASF	Retain base code (IRC) language	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
3	318.4	4106	J Glenn-BASF	Retain base code (IRC) language	
<u>Comment</u>					

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
3	R301.1	3863	Mohammed Shaikh	Exception in section R301.1 is proposed to be revised to include Section R406 Foundation Dampproofing and Waterproofing of Non – HVHZ, since there is no provision in HVHZ.	

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
3	R301.2.1.1	4348	Joseph Belcher	Updates the name of the organization responsible for the document.	

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
3	R301.2.4.1, R322.1.1	4404	Christopher Jones	Allow use of ASCE 24 as an alternative in any flood hazard area, including A zones (see R322.2).	

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
3	R322.2.4 and R322.3.3.1 (new)	3897	Rebecca Quinn	Florida-specific modifications to the flood provisions retained in the residential code, to add provisions for pools that are found in Appendix G of the IRC. The Workgroup recommended moving the provisions into the body of the code.	

Comment

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	



**TAC & Commission Tracking Chart**

<b>TAC:</b> Structural	<b>Total Mods for this TAC:</b> 168				
------------------------	-------------------------------------	--	--	--	--

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
3	R322.3.3	4395	Christopher Jones	Add NFIP-requirement that elevated buildings in V zones are to have the area underneath "free of obstruction."	
<u>Comment</u>					

**7-Wall Covering**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
7	R703.1.1	3859	Joseph Belcher	Provides reference to new labeling requirements.	
<u>Comment</u>					

**8-Roof-Ceiling Construction**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
8	802.1.6.3	4046	J Glenn-BASF	Retain the base code (IRC) language.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Approved as Submitted</b>
8	804.1.1	4050	J Glenn-BASF	Retain base code (IRC) language.	
<u>Comment</u>					

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

**43-Referenced Standards**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
43	1.0	4155	Paul Coats	This proposal updates referenced AF&PA standards to their current editions.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
43	4301	3900	Rebecca Quinn	Florida-specific modifications related to retaining flood provisions of the I-Codes. This mod updates a reference to a FEMA publication and conforms the form of the references to the I-Codes.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
43	AISC	3671	Mohammed Shaikh	New AISC reference standard is adopted thirteenth edition manual -2005. This mod. is proposed to delete old manual references	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
43	Chapter 43	3586	Dick Wilhelm	Adds FMA/AAMA 100-07, FMA/AAMA 200-09 and FMA/WDMA 250-10 installation protocols to Chapter 43, Referenced Standards.	
<u>Comment</u>					

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
43	NA	4342	Chuck Anderson	Updates AAMA standards and ASTM impact standards	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
43	R301.2.1.1	4291	David Miller	Updating the 2007 edition of the AAF Guide to Aluminum Construction in High Wind Areas to the 2010 edition	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
43	Referenced Standards	4340	Joseph Belcher	Corrects incorrect code citation and adds new reference to new section addressing the use of the AAF Guide to Aluminum Construction in High Wind Areas in the HVHZ.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
43	Referenced Standards	4349	Joseph Belcher	Update organization.	
<u>Comment</u>					

**44-High Velocity Hurricane Zones**

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
44	4408.1.3	3670	Mohammed Shaikh	This section requires modification due to adoption of -2005 Manual of Steel Construction, Thirteenth edition	

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
44	4409.1.4.7	4157	Paul Coats	This proposal updates the currently referenced standards to their current editions.	

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
44	R4402.10.21, R4402.13.1.7	3701	chris schulte	Clarification	

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
44	R4403.7.3.6.3	3730	Jaime Gascon	Correlates the HVHZ requirements on use of laminated glazing for glass railings used in the wind borne debris region with those of the 2009 IBC.	

Comment

SubCode: Test Protocols

**1-100(A)**

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
1	10.4.8	3528	Jaime Gascon	Deletion of reference to a nonexistent protocol - TAS100(B), and clarifying the section.	
<u>Comment</u>					

**1-202**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
1	5.2.7	3464	Jaime Gascon	Deletion of ASTM E283's standard year in the text of the protocol. Year of standard is already in chapter 35.	
<u>Comment</u>					

SubCode: Building

**2-Definitions**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Approved as Submitted</u>
2	202	3874	J Glenn-BASF	Retain base code (IBC) language as it provides better direction.	No Affirmative Recommendation with a Second
<u>Comment</u>					

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

<b>TAC:</b> Structural	<b>Total Mods for this TAC:</b> 168		
------------------------	-------------------------------------	--	--

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
2	202	4314	Daniel Walker	Updates the definition of Habitable Space to include revised information from AAMA/NPEA/NSA 2100-10 for sunrooms. This document now defines a Category IV sunroom as a non-habitable space.	
<u>Comment</u>					

**8-Interior Finishes**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
8	801.5	3882	Rebecca Quinn	Florida-specific modifications to Chapter 8, related to retaining flood provisions of the I-Codes which require materials below the DFE to be flood damage-resistant materials specified in 1612.4 by reference to ASCE 24.	
<u>Comment</u>					

**14-Exterior Walls**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
14	1403.5	3883	Rebecca Quinn	Florida-specific modifications to 1403.5, related to retaining flood provisions of the I-Codes which require materials below the DFE to be flood damage-resistant materials specified in 1612.4 by reference to ASCE 24.	
<u>Comment</u>					

**16-Structural Design**

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
16	1602.1	3687	Mark Speckin	Add the requirement that exterior mounted cooling towers, fluid coolers, and evaporative condensers, which are subjected to wind forces be designed as a structure, to the FBC Building Code, volume.	
<u>Comment</u>	Definitions				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
16	1603.1.4	3688	Mark Speckin	Add the requirement that the wind load requirement of Other Structures in terms of psf be shown on the Construction Documents	
<u>Comment</u>	Wind design data				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
16	1609.1.2	3677	Michael Hemmer	This section is modified to imply that all openings into a roof structure, whether vertical or horizontal, need to be protected in the event of a hurricane or high event from debris as well as wind and rain. This will reduce structural, wind, water, and personal belonging damage in such an event.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
16	1618.4.6.1 and 1618.4.6.2	3664	Thomas Sputo	Coordinate structural design criteria for pedestrian guards and handrails between HVHZ and non-HVHZ for non-wind related loading.	
<u>Comment</u>					

**17-Structural Tests and Special Inspections**

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
17	1714.5.3.3.2	4448	Kurt Roeper	Delete section 1714.5.3.3.2 in its entirety without substitution.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
17	1715.5.3.3.1	4179	Chuck Anderson	This section deals with glazed curtain walls, window wall and storefront systems; it is currently hidden as a subsection of a section on door components. This modification is simply to move it.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
17	1715.9	3689	Michael Hemmer	This modification is designed for the language set forth in Section 1715.8 to be consistent with regards to opening protection on soffit vents in Hurricane Prone Areas.	
<u>Comment</u>					

**18-Soils and Foundations**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
18	1816.1.7	3872	Sid Funk	Modify 1816.1.7 regarding the use of approved termite baits for new construction termite control to agree with FSS Chapter 482 which establishes requirements for new construction termite control contracts. Modification would change requirement for 5 year contract to 1 year plus 4 renewal years.	
<u>Comment</u>					

**19-Concrete**

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	



**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
19	1910.2	4469	Joseph Belcher	Proposal adds additiona fiber materials and adopts a new Acceptance Criteria.	
<u>Comment</u>					

**20-Aluminum**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
20	2002.2	3467	John Kissell	This change updates the aluminum construction standard referenced to 2010.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
20	2002.6	4312	Daniel Walker	This code change proposal updates the sunroom categories to be consistent with the revised edition of AAMA/NPEA/NSA 2100-10.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
20	2003.1, 2003.2, 2003.3	3455	John Kissell	This proposed modification updates the references for HVHZ aluminum construction to the 2010 Aluminum Design Manual.	
<u>Comment</u>					

**22-Steel**

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<b>Chapter</b> 22	<b>Section</b> 1615.3, 2222.4.4	<b>Mod #</b> 4370	<b>Proponent</b> William Shoemaker	<b>Summary</b> The proposal revises the requirements for the deflection of structural roofing and siding made of formed metal sheets to be more consistent with current testing requirements in the Florida Building Code. The proposal also removes a reference to this requirement that is redundant in Chapter 22.	<b>No Affirmative Recommendation with a Second</b>
<b>Comment</b>					

<b>Chapter</b> 22	<b>Section</b> 2209.2.1	<b>Mod #</b> 3459	<b>Proponent</b> Thomas Sputo	<b>Summary</b> Add additional current reference standard for composite steel deck design.	<b>No Affirmative Recommendation with a Second</b>
----------------------	----------------------------	----------------------	----------------------------------	--	--

**Comment**

<b>Chapter</b> 22	<b>Section</b> 2218.3	<b>Mod #</b> 3365	<b>Proponent</b> scott wilson	<b>Summary</b> 2218.3 Welding in the shop or field may only be done by AWS certified welders. The code should read "AWS qualified" or "a welder whom has successfully performed a qualification test, per AWS D1.1 protocol and administered by an AWS certified welding inspector (CWI).	<b>No Affirmative Recommendation with a Second</b>
----------------------	--------------------------	----------------------	----------------------------------	---	--

**Comment**

<b>Chapter</b> 22	<b>Section</b> 2222.3.3	<b>Mod #</b> 4241	<b>Proponent</b> William Shoemaker	<b>Summary</b> The proposal deletes a subsection in the cold-formed steel construction section that belongs only in Section 2223.10 with respect to metal building systems.	<b>No Affirmative Recommendation with a Second</b>
----------------------	----------------------------	----------------------	--	--	--

**Comment**

**TAC Recommendations**

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
22	2223.10.1	4274	William Shoemaker	This proposal seeks to clarify the intent of the applicability of the restriction on cables and rod bracing in metal buildings.	

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
22	2223.11.1	4243	William Shoemaker	This proposal would eliminate the requirements for inspections of metal building systems. While inspections can serve a useful purpose, it is inconsistent to require special inspections of metal building systems when other construction types are not subjected to this same scrutiny.	

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
22	2223.8.4	4288	William Shoemaker	This proposal deletes redundant requirements that are covered by other sections in the code.	

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
22	Ch. 17 and 2223.11	4244	William Shoemaker	This proposal seeks to put more specificity into what the inspection requirements are in Section 2223.11.1 by invoking the appropriate inspection requirements of Chapter 17 of the IBC.	

Comment

**23-Wood**

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
23	2303.5	4414	Stuart Lewis	Replace reference to section 1716.1 with reference to ASTM D7147, which replaces all content of section 1716.1.	
<u>Comment</u>					

**35-Referenced Standards**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
35	AA	3458	John Kissell	This proposed modification updates the references for aluminum construction from the 2005 Aluminum Design Manual to the 2010 Aluminum Design Manual.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
35	AAMA	4310	Daniel Walker	This code change proposal updates the reference to AAMA/NPEA/NSA 2100 from 2002 to 2010.	
<u>Comment</u>					

**SubCode:** Existing Building

**5-Repairs**

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
5	506.2	4419	James Battaglia	Adds clarity about non-structural damage repairs.	
<u>Comment</u>					

**SubCode:** Residential

**2-Definitions**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
2	R202	4313	Daniel Walker	Updates the definition of Habitable Space to include revised information from AAMA/NPEA/NSA 2100-10 for sunrooms. This document now defines a Category IV sunroom as a non-habitable space.	
<u>Comment</u>					

**3-Building Planning**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
3	301.3	4097	J Glenn-BASF	Retain the base code (IRC) language.	
<u>Comment</u>					

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
3	308.6.9	4192	J Glenn-BASF	Retain base code (IRC) language	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
3	R301.2.1.1.2	4298	Daniel Walker	This code change proposal updates the sunroom categories to be consistent with the revised edition of AAMA/NPEA/NSA 2100-10.	
<u>Comment</u>					

**4-Foundations**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
4	401.1	4093	J Glenn-BASF	Retain base code (IRC) language	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
4	401.2	4094	J Glenn-BASF	Retain base code (IRC) language	
<u>Comment</u>					

**8-Roof-Ceilina Construction**

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
8	802.1.6.5	4047	J Glenn-BASF	Retain base code (IRC) language	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
8	802.2	4048	J Glenn-BASF	Retain base code (IRC) language	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
8	802	4165	Ann Stanton	Revise Sec. 802 to reserve roof/ceiling design and construction criteria for wind loads less than 100 mph and return section numbering to that used in the IRC.	
<u>Comment</u>					

**43-Referenced Standards**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
43	AAMA	4301	Daniel Walker	Updates reference from AAMA/NPEA/NSA 2100-02 to AAMA/NPEA/NSA 2100-10.	
<u>Comment</u>					

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
43	AAMA	4306	Daniel Walker	Updates reference from AAMA/NPEA/NSA 2100-02 to AAMA/NPEA/NSA 2100-10.	
<u>Comment</u>					

**44-High Velocity Hurricane Zones**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
44	R4403.16.1	3802	Michael Hemmer	This code modification is meant to standardize a form of testing which is extremely necessary for soffit vents, soffit systems, and ridge vents in hurricane prone areas. This mod only revise Exception (b), the remaining text &quot;unchanged&quot;	
<u>Comment</u>					

**SubCode:** Test Protocols

**1-100(A)**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
1	1.3, 8.5, 12.1.2	3535	chris schulte	Clarifications of terms	
<u>Comment</u>					

**1-105**

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	



**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
1	1.2	3542	chris schulte	Clarification	
<u>Comment</u>					

**1-201**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
1	12	3446	Jaime Gascon	Adds requirement for additional testing when original test is older than 10 years.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
1	6.3.1.1	3571	chris schulte	Clarification	
<u>Comment</u>					

**1-202**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
1	12	3461	Jaime Gascon	Adds requirement for additional testing when original test is older than 10 years.	
<u>Comment</u>					

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

**1-203**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>No Affirmative Recommendation with a Second</b>
1	13	3462	Jaime Gascon	Adds requirement for additional testing when original test is older than 10 years.	
<u>Comment</u>					

**SubCode:** Building

**16-Structural Design**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Withdrawn</b>
16	1622	4331	Joseph Belcher	The modification adds design wind pressures for aluminum screened enclosures developed from wind tunnel testing sponsored by the Aluminum Association of Florida.	
<u>Comment</u>					

**22-Steel**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<b>Withdrawn</b>
22	2223.8.2	4282	William Shoemaker	This proposal deletes an unnecessary requirement that is covered by other required design standards.	
<u>Comment</u>					

**26-Plastic**

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Withdrawn</u>
26	2603.8	3962	J Glenn-BASF	Using base code language for termite protection for foam plastic.	
<u>Comment</u>					

**31-Special Construction**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Withdrawn</u>
31	3113.1 and R325.1	3511	Kevin Gartland	When required by local government to reduce noise attenuation in new structure or addition to existing structure near an airport, applicant must provide documentation that structure meets the reduction requirement.	
<u>Comment</u>					

**35-Referenced Standards**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Withdrawn</u>
35	SDI ANSI A250.13	4449	Kurt Roeper	Delete ANSI A250.13 as a referenced standard	
<u>Comment</u>					

SubCode: Residential

**2-Definitions**

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Withdrawn</u>
2	202 Live load.	4016	J Glenn-BASF	Retain base code (IRC) language as it provides better direction.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Withdrawn</u>
2	202 Shear Wall	4019	J Glenn-BASF	Retain base code (IRC) language.	
<u>Comment</u>					

**3-Building Planning**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Withdrawn</u>
3	318.4	4116	J Glenn-BASF	Retain base code (IRC) language.	
<u>Comment</u>					

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Withdrawn</u>
3	R301.2.4.1, R322.1.1	4406	Christopher Jones	Allow use of ASCE 24 as an alternative in Coastal A zones (where such areas are delineated, see R322.2).	
<u>Comment</u>					

**43-Referenced Standards**

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

**TAC:** Structural **Total Mods for this TAC:** 168

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Withdrawn</u>
43	4301	4392	Christopher Jones	Correct and update references to FEMA technical bulletins.	

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Withdrawn</u>
43	4301	4393	Christopher Jones	Correct and update references to FEMA technical bulletins.	

Comment

**3316-Sizing of Water Piping Systems (Reserved)**

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>	<u>Withdrawn</u>
3316	New Appendix	4405	Doug Harvey	Add a new Appendix "XX" (Designation to be assigned)	

Comment

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	

**TAC & Commission Tracking Chart**

---

**Search Criteria**

<b>Modification #:</b>	ALL	<b>Code Version:</b>	2010
<b>Code Change Cycle:</b>	ALL	<b>Sub Code:</b>	ALL
<b>Chapter &amp; Topic:</b>	ALL	<b>Section:</b>	ALL
<b>Date Submitted From:</b>	ALL	<b>Date Submitted To:</b>	ALL
<b>TAC:</b>	ALL	<b>TAC Recommendation:</b>	ALL
<b>Commission Action:</b>	ALL	<b>Proponent Last Name:</b>	ALL
<b>Proponent First Name:</b>	ALL	<b>Text of Modification:</b>	ALL
<b>Related Modifications:</b>	ALL	<b>Affects HVHZ:</b>	ALL

**TAC Recommendations**

<b>AS</b> = Approved as Submitted	<b>W</b> = Withdrawn
<b>AM</b> = Approved as Modified	<b>I</b> = Insufficient (incomplete or does not meet criteria)
<b>NAR</b> = No Affirmative Recommendation	