

TAC & Commission Tracking Chart

Code Change Cycle: 2010 Triennial Original Modification 3/1/2010 - 4/2/2010

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Building

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
2	202	3854	Steven Bassett	revise definition

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
2	202	3875	J Glenn-BASF	Retain base code (IBC) language as it provides better direction.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	306.4	3876	J Glenn-BASF	Delete Florida Specific Amendment that created Section 306.4

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	308.5	3997	J Glenn-BASF	Provide reference to Occupancy class D

Comment

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Building

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	R315	3844	marilyn williams	The intent of the proposal is to align the Florida building code supplement with nationally recognized consensus standards for carbon monoxide detection.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
4	403.4.7.2	3735	Jon Caudill	The base code references an incorrect section of the code. This mod lists the correct reference in chapter 10.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
4	405.3	3878	J Glenn-BASF	Remove "Florida Specific" language and retain language from the base code.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
5	507.11	3879	J Glenn-BASF	Retain base code (IRC) language as it provides better direction.

Comment

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Building

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
5	507.4	3526	Michael Hoover	This change is requesting that the text in section 507.4 of the 2009 IBC be incorporated into the 2010 FBC to allow unlimited area for two story buildings.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
5	508.4	4083	raul alvarez	Fire separation shall be modify based on fire resistivity and allowable area for the same type of construction. Proposed fire separation: B vs F1 2hrs. B vs M 2hrs. B vs S1 2hrs. M vs F1 2hrs. M vs S1 2hrs. F1 vs S1 1hr.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
5	509.4	3881	J Glenn-BASF	Retain base code (IBC) language as it provides better direction.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
6	602.2 & 602.3	3655	Michael Wolfe	The FBC conflicts with the Florida Fire Prevetion and Life Safety Code (FFPC) because it does not include "limited-combustible" materials. The FBC must be modified to conform with the FFPC
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Building

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
6	603	3435	Wenyi Zhang	The purpose of this code change is to add materials, as defined in Florida Fire Prevention Code (FFPC) (NFPA-1/101), limited- combustible material, which includes gypsum wall board, to be used in Type II Non-combustible Building.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
7	703.4	3656	Michael Wolfe	The FBC conflicts with the Florida Fire Prevetion and Life Safety Code (FFPC) because it does not include "limited-combustible" materials. The FBC must be modified to conform with the FFPC
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
7	706.1	3658	Brad Schiffer	Removes the Florida specific 4-hour Fire Wall for Building seperation.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
7	706.1	3886	J Glenn-BASF	Utilize the base code language for "fire walls".
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Building

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
7	706.1.1	3884	J Glenn-BASF	Uses base code language for Party walls for consistency with national practice.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
7	706.3	3888	J Glenn-BASF	Delete Florida specific amendment and utilize base code language.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
7	706.3 Materials	3465	Robert Sullivan	Foam plastic masonry insulation products that are claimed to increase fire-resistance ratings of CMU walls from 2-hrs to 3-hrs or 4-hrs will be required to be listed by a code approved listing service.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
7	709.1	3523	Anthony Apfelbeck	Provides a new exception to 709.1 line 7 for tenant separation that moves the FBC into closer correlation with the 2009 IBC.
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Building

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
7	709.4	3917	J Glenn-BASF	Retain language from the base code and delete the "Florida Specific" language as the IBC adequately addresses the fire protection issue.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
7	712.3	3918	J Glenn-BASF	Utilize base code language.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
7	Table 706.4	3659	Brad Schiffer	Removes the Florida specific 4-hour Fire Wall for Building seperation.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
7	Table 706.4	4013	J Glenn-BASF	Remove Footnote C.

Comment

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Building

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
9	202 and 916	3840	marilyn williams	The intent of the proposal is to align the Florida building code supplement with nationally recognized consensus standards for carbon monoxide detection.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
9	901.6.1	3505	Anthony Apfelbeck	Restores the language in 901.6.1 to the text of the 2009 IBC.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
9	901.6.1	3921	J Glenn-BASF	Delete Florida Specific amendment. Use base code language for Fire Protective System monitoring.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
9	902.3	4011	J Glenn-BASF	Using base code (IBC) language for requiring automatic sprinkler systems

Comment

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Building

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
9	903.2.1.3	3506	Anthony Apfelbeck	Restores the code text in 903.2.1.3 to the IBC text.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
9	903.2.1.3	3922	J Glenn-BASF	Using base code language for requiring automatic sprinkler systems.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
9	903.2.11.3	3508	Anthony Apfelbeck	Relocates the Florida specific code text in 903.6 to 903.2.11.3 for consistency with the underlying format of the IBC.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
9	903.2.11.3	4010	J Glenn-BASF	Using base code(IBC) language for requiring automatic sprinkler systems.

Comment

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Building

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
9	903.2.11.3	4012	J Glenn-BASF	Using base code (IBC) language for requiring automatic sprinkler systems.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
9	903.2.3	3507	Anthony Apfelbeck	Restores the code text in 903.2.3 to the IBC text.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
9	903.3.1.4	3509	Anthony Apfelbeck	Deletes the Florida specific language in 903.3.1.4 and return the code to the core text of the FBC. (903.3.1.4 does not exist in the IBC.)
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
9	903.4	3513	Anthony Apfelbeck	Deletes the Florida specific language in favor of the 2010 IBC language.
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Building

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
9	903.4	3923	J Glenn-BASF	Using base code language for requiring automatic sprinkler systems monitoring. "Exceptions unchanged"
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
9	905	3514	Anthony Apfelbeck	Coorelates the 2009 IBC changes with the Florida specific amendments which coorelate with the FFPC and the manual standpipe provision of Florida statutes.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
9	905.1	3925	J Glenn-BASF	Using base code language for requiring Standpipe systems.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
9	905.3.1	4008	J Glenn-BASF	Using base code (IBC) language for height of Standpipe systems.
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Building

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
9	907.2.2	3517	Anthony Apfelbeck	Revises 907.2.2 to be more consistent with the 2009 IBC while still incorporating the Florida specific change to match the FFPC. Clarifies the type of alarm system needed and the exception for such system.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
9	907.2.2	4009	J Glenn-BASF	Using base code (IBC) language for Fire Alarm systems.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
9	909.3	3515	Anthony Apfelbeck	Inserts the 2009 IBC "Special inspection and test requirements" for Smoke Control Systems in section 909.3.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
9	909.3	3927	J Glenn-BASF	Using base code language for smoke control testing systems.
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Building

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
9	916	3853	Steven Bassett	Changes to Carbon Monoxide Protection

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	100.3.3, 1003.4, 1003.5	3967	J Glenn-BASF	Restore base code language and delete Florida Specific amendments to section 1003.3 thru 1003.5.3

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1002.1	3964	J Glenn-BASF	Change restores the based code language. The Florida Specific amendment makes the section to general while the based code addresses those areas where obstructions may be place with the need for permit.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1002.1	4354	Joseph Belcher	Clarification of definition of means of escape.

Comment

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Building

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1003.4	3965	J Glenn-BASF	Using base code language for Floor surface.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1003.5	3966	J Glenn-BASF	Use base code language for Elevation change.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1004.8 Outdoor areas	4256	jim manning	This clarifies intent that "panic hardware" not be used on exterior (outdoor) gates on outdoor swimming pool fencing. Requirements to use "panic hardware" weakens other codes and causes confusion. Excepting outdoor pools is an easy fix to this controversy. This mod adds Exception 3.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1007.4	4379	Rick Dixon	The modification reinstates IBC requirements referenced from 1003.7 Exception for when elevators can be a component of a required means of egress.

Comment

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Building

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1008.1	3970	J Glenn-BASF	Correct a section reference as printed in the supplement.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1008.1.1	3968	J Glenn-BASF	Restore exception 6 & 7. Delete reference to Type A or Type B units.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1008.1.4.2	3969	J Glenn-BASF	Delete exception 4 and renumber 5 to 4.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1009.12	3990	J Glenn-BASF	Retain base code language while deleting exception 6
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Building

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1009.12	4006	J Glenn-BASF	Retain base code (IBC) language while deleting exception 6.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1009.13	3992	J Glenn-BASF	Retain base code language covering stairway to roof.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1009.13.1	3991	J Glenn-BASF	Retain language from base code for roof access
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1009.4.2	3971	J Glenn-BASF	Delete exception 5 and retain the based code language.
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Building

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1009.5	3972	J Glenn-BASF	Delete exception 1 numbering and delete exception 2
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1009.8	3973	J Glenn-BASF	Delete exception 2
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1010.5	3993	J Glenn-BASF	Ramp width minimum covered in base code, delete exception.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1010.8	3994	J Glenn-BASF	Ramp handrails covered in base code, leave exception for fair housing.
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Building

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1011.1	3995	J Glenn-BASF	Adopts the exit sign requirements of the base code (IBC).

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1012.4	3985	J Glenn-BASF	Retain base code (IBC) language relating to handrail continuity requirements.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1012.9	4007	J Glenn-BASF	Keep base code (IBC) language regarding Intermediate handrail requirements.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1012.9.1	3996	J Glenn-BASF	Delete these requirements as not necessary

Comment

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Building

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1013	3681	Mohammed Shaikh	The requirements of this section for HVHZ is specified in 1618.4.3 and 1618.4.4 This modification is proposed to clarify these requirements and avoid confusion. This mod does not delete the Exceptions.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1018.1	3431	Sam Elsheikh	To be consistent with Florida life safety code and the IBC base code, eliminate the requirement of corridors in occupancy type A with sprinkler system to have one hour rating.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1026.8	3430	Jose Guanch	I'm proposing adding the word "first" into the first sentence in this paragraph in order to clarify the sentence. When you read the remainder of the paragraph it makes complete sense to include the word "first" in the initial sentence.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1037.6	4071	Chuck Anderson	FL specific language omits exception that allows 5 sqft. egress window on grade level.
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Building

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	Section 1008	3598	Kevin Crowley	Exempts lawn storage buildings and storage sheds not exceeding 400 square feet from minimum and maximum height and width requirements.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
12	1208.2	3916	J Glenn-BASF	Delete Florida Code language to 120.2 and retain IBC language with the accessibility requirement in exception #2.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
16	1618.4.3	3680	Mohammed Shaikh	Revise spacing of object in Other than group R occupancy from 6 inch(152mm) to 4 nch (102mm) in section 1618.4.3 to be consistent with group R occupancy in 1618.4.4

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
26	2603	3685	Robert Sullivan	Masonry foam insulation products that are claimed to increase fire-ratings of CMU walls from 2 or 3-hrs or 4-hrs are often supported by ASTM E-119 testing performed on similar but different CMU walls e.g. CMU made with different aggregate and/or foam is formulated with different ingredients.

Comment

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Building

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
26	2612.2	3536	Jaime Gascon	This modification corrects a typographical error in section 2612.2 Definitions - the definition of 'Glass Fiber Reinforced Plastic'.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
31	3102.1	4168	ali hosein	To recognize to use thatched roof of palm or palmetto or other traditional materials as a flammable roofing materials that need to maintain a fire rating
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
2711	New appendix	4391	Doug Harvey	Add a new Appendix "XX" (Designation to be assigned)
<u>Comment</u>				

SubCode: Residential

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
2	202 Foam Plastic Interior Trim	4017	J Glenn-BASF	Retain base code (IRC) language as it provides better direction.
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Residential

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
2	R202	4355	Joseph Belcher	Clarifies definition of Means of Escape.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	302.2.2	4111	J Glenn-BASF	Retain base code (IRC) language

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	302.2.3	4112	J Glenn-BASF	Retain base code (IRC) language

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	302.4.2	4128	J Glenn-BASF	Retain base code (IRC) language

Comment

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Residential

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	302.5.2	4134	J Glenn-BASF	Retain base code (IRC) language
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	310.6	3400	William Dumbaugh	Provide for a minimum hieght of a emergency escape and rescue door.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	311.3	4100	J Glenn-BASF	Retain base code (IRC) language
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	311.7.4.2	4101	J Glenn-BASF	Retain base code (IRC) language
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Residential

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	311.7.5	4131	J Glenn-BASF	Retain base code (IRC) language
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	311.7.5.4	4127	J Glenn-BASF	Retain base code (IRC) language
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	311.7.7.1	4122	J Glenn-BASF	Retain base code (IRC) language
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	311.7.7.2	4120	J Glenn-BASF	Retain base code (IRC) language
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Residential

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	311.7.9.1	4123	J Glenn-BASF	Retain base code (IRC) language
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	313	4420	Jack Glenn	Delete R313 requiring fire sprinklers in on and two family dwellings without substitution..
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	315.1	4190	J Glenn-BASF	Retain base code (IRC) language
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	316.1	4133	J Glenn-BASF	Retain base code (IRC) language
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Residential

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	316.5.1	4191	J Glenn-BASF	Retain base code (IRC) language
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	316.5.3	4130	J Glenn-BASF	Retain base code (IRC) language
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	316.5.7	4125	J Glenn-BASF	Retain base code (IRC) language
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	316.6	4117	J Glenn-BASF	Retain base code (IRC) language
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Residential

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	324.1	4119	J Glenn-BASF	Retan base code (IRC) language
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	346.5.9	4113	J Glenn-BASF	Retain base code (IRC) language
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	R 310.1.4.1	3401	William Dumbaugh	Provides for uniform and safe locations of operational constraints used on an emergency escape and rescue opening.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	R 310.1.4.2	3402	William Dumbaugh	Provides for a maximum heighth of operational constraints used on an emergency escape and rescue window.
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Residential

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	R 311.2	3403	William Dumbaugh	Provides for uniform and safe location of locks and latches used on an egress door.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	R302.1	4189	Joseph Belcher	Proposal is to permit screen enclosures to be attached to two-family dwellings without requiring a fire resistance rating for the screen wall similar to what is permitted for townhouse construction.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	R302.1.1	4091	jeffrey collins	Attic protection via soffits
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	R302.12	4090	jeffrey collins	Adds attic draftstopping
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Residential

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	R302.2	4087	jeffrey collins	The 2009 IRC assumes all townhomes are sprinklered. However, in cases where fire sprinklers are removed from the text the townhome common wall must be upgraded back to the 2 hr requirement (R317.2 - 2006 IRC).
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	R302.3	4195	Joseph Belcher	Provides for attachment of screen enclosure to two-family dwelling without requiring fire resistance rating of screen wall.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	R302.7	4088	jeffrey collins	Remove the 1/2" gypsum requirement for under stairs and under stair walls.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	R305	3662	Kevin Crowley	Exempts lawn storage buildings and storage sheds not exceeding 400 square feet from ceiling height requirements.
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Residential

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	R310.1	4092	jeffrey collins	Removes egress window requirement
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	R310.1	4446	jeffrey collins	Removes egress window requirement for sprinklered dwellings
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	R316.4	4089	jeffrey collins	Removes the thermal barrier requirement.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	Table R302.1	4142	jeffrey collins	Provides exterior wall and projection distances for sprinklered and unsprinklered dwellings
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Fire **Total Mods for this TAC:** 118

SubCode: Residential

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	Table R302.1	4445	jeffrey collins	Provides exterior wall and projection distances for sprinklered and unsprinklered dwellings
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
5	R501.3	4138	jeffrey collins	Protection of floor framing components or systems composed of prefabricated I joists, trusses, and cold formed steel.
<u>Comment</u>				

Search Criteria

Modification #:	ALL	Code Version:	2010
Code Change Cycle:	ALL	Sub Code:	ALL
Chapter & Topic:	ALL	Section:	ALL
Date Submitted From:	ALL	Date Submitted To:	ALL
TAC:	ALL	TAC Recommendation:	ALL
Commission Action:	ALL	Proponent Last Name:	ALL
Proponent First Name:	ALL	Text of Modification:	ALL
Related Modifications:	ALL	Affects HVHZ:	ALL

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	