

TAC & Commission Tracking Chart

Code Change Cycle: 2010 Triennial Original Modification 3/1/2010 - 4/2/2010

TAC: Plumbing **Total Mods for this TAC:** 43

SubCode: Building

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
4	424.2.17.1.9	3936	Jennifer Hatfield	This proposal makes changes to the pool alarm requirements in order to provide for consistency with the UL 2017 General-Purpose Signaling Devices and Systems standard that an exit alarm must comply with per the code.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
35	APSP	4311	Jennifer Hatfield	Clarifies that NSPI is the former name of the APSP. Updates the ANSI/NSPI-5 standard for residential inground pools to reflect the 2010 revision. Deletes one of two portable spa standard references (ANSI-6), which is referenced twice, deletes the '92 reference.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
35	UL	3939	Jennifer Hatfield	Updates the UL 2017 Standard for General-Purpose Signaling Devices and Systems to the 2008 second edition.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
2711	New appendix	4391	Doug Harvey	Add a new Appendix "XX" (Designation to be assigned)
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Plumbing **Total Mods for this TAC:** 43

SubCode: Existing Building

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	New 302.5	4337	Duren Gary	Add language to address residential swimming pools
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
5	New 510.1	4338	Duren Gary	Add language to address residential swimming pool and spa issues
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
6	New 613 and 613.1	4339	Duren Gary	Add language to address residential swimming pool and spa issues
<u>Comment</u>				

SubCode: Fuel Gas

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
1	All	4381	Doug Harvey	Replace the Florida Building Code-Fuel Gas with the 2009 International Fuel Gas Code in its entirety.
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Plumbing **Total Mods for this TAC:** 43

SubCode: Fuel Gas

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	301.1.1	4400	Christopher Jones	Clarify the elevation above which appliances, equipment and installations are required to be elevated is the elevation specified in 1612.4.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	301.3	3479	Jose Guanch	This section refers to 105, however 105 exists only in the ICC code. Unless this is corrected there is no way to allow provisions for "alternative" methods in the Fuel Gas Code. I suggest either using the ICC wording in 105 or referring the reader to section 101.1.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	305.4	4079	Robert Trumbower	To make Section 305.4 of the Florida Fuel Gas Code the same as the 2009 International Fuel Gas Code.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
4	404.15.3	3745	J Glenn-BASF	Retain base code (IFGC) language as it provides better direction

Comment

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Plumbing **Total Mods for this TAC:** 43

SubCode: Fuel Gas

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
4	406.7.4	3748	J Glenn-BASF	Retain base code (IFGC) language as it provides better direction

Comment

SubCode: Plumbing

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
1	All	4380	Doug Harvey	Replace the Florida Building Code-Plumbing with the 2009 International Plumbing Code in its entirety.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	305.6	3740	J Glenn-BASF	Retain base code language

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
3	309.2	4402	Christopher Jones	Clarify the elevation above which plumbing systems, equipment and fixtures are required to be elevated is the elevation specified in 1612.4.

Comment

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Plumbing **Total Mods for this TAC:** 43

SubCode: Plumbing

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
4	403.7	3741	J Glenn-BASF	Sections 403.5 and 403.6 do not exist in the IPC Renummer 403.7 to 403.5 and remove the "reserved"
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
5	504.6	3603	Ben Bentley	Add exception to this section of code for a solar system that can have multiple PRV's. Discharging a 1/2" relief device in the solar loop into the T&P tank discharge should be acceptable.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
6	604.1	3742	J Glenn-BASF	Retain the based code (IPC) language
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
6	606.1 (5)	3426	James Bickford	Adds text "supplying three or more branch intervals". This clarifies the intent of this code section to apply only to multistory buildings.
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Plumbing **Total Mods for this TAC:** 43

SubCode: Plumbing

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
6	611.2	3744	J Glenn-BASF	Retain the based code (IPC) language

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
7	702.1	4160	Allen Johnson	Modify the current building materials list to include Cure-In Place (CIPP) Thermosetting Resin Conduit Liner that meets ASTM F-1743, ASTM F-1216, ASTM D790, ASTM D638 and ASTM D543. in sections 702.1,702.2, 702.3, 1102.1, 1102.2, 1102.3 and 1102.4 for building drains and building sewer pipes.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
7	702.2	4255	Allen Johnson	Modify the current building materials list to include Cure-In Place (CIPP) Thermosetting Resin Conduit Liner that meets ASTM F-1743, ASTM F-1216, ASTM D790, ASTM D638 and ASTM D543. in sections 702.1,702.2, 702.3, 1102.1, 1102.2, 1102.3 and 1102.4 for building drains and building sewer pipes.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
7	702.3	4315	Allen Johnson	Modify the current building materials list to include Cure-In Place (CIPP) Thermosetting Resin Conduit Liner that meets ASTM F-1743, ASTM F-1216, ASTM D790, ASTM D638 and ASTM D543. in sections 702.1,702.2, 702.3, 1102.1, 1102.2, 1102.3 and 1102.4 for building drains and building sewer pipes.

Comment

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Plumbing **Total Mods for this TAC:** 43

SubCode: Plumbing

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
10	1003.3.4	4432	Paul Bohres	Provides a level of environmental protection from decomposition of these devices from both the interior and exterior environments that these devices are subject to.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
11	1102.1	4316	Allen Johnson	Modify the current building materials list to include Cure-In Place (CIPP) Thermosetting Resin Conduit Liner that meets ASTM F-1743, ASTM F-1216, ASTM D790, ASTM D638 and ASTM D543. in sections 702.1,702.2, 702.3, 1102.1, 1102.2, 1102.3 and 1102.4 for building drains and building sewer pipes.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
11	1102.2	4318	Allen Johnson	Modify the current building materials list to include Cure-In Place (CIPP) Thermosetting Resin Conduit Liner that meets ASTM F-1743, ASTM F-1216, ASTM D790, ASTM D638 and ASTM D543. in sections 702.1,702.2, 702.3, 1102.1, 1102.2, 1102.3 and 1102.4 for building drains and building sewer pipes.
<u>Comment</u>				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
11	1102.3	4319	Allen Johnson	Modify the current building materials list to include Cure-In Place (CIPP) Thermosetting Resin Conduit Liner that meets ASTM F-1743, ASTM F-1216, ASTM D790, ASTM D638 and ASTM D543. in sections 702.1,702.2, 702.3, 1102.1, 1102.2, 1102.3 and 1102.4 for building drains and building sewer pipes.
<u>Comment</u>				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Plumbing **Total Mods for this TAC:** 43

SubCode: Plumbing

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
11	1102.4	4321	Allen Johnson	Modify the current building materials list to include Cure-In Place (CIPP) Thermosetting Resin Conduit Liner that meets ASTM F-1743, ASTM F-1216, ASTM D790, ASTM D638 and ASTM D543. in sections 702.1,702.2, 702.3, 1102.1, 1102.2, 1102.3 and 1102.4 for building drains and building sewer pipes.
Comment				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
11	1107	4371	scott waltz	1107.1 (Add) Secondary drain inlet shall be not less than 2 inches (51 mm) nor more than 4 inches (102 mm) above the finish roof covering and shall be located as close as practical to the required vertical leaders or downspouts.
Comment				

SubCode: Residential

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
14	14-23	4387	Doug Harvey	Replace the Florida Building Code, Residential Section 14-23 Plumbing with Section 14-23 Plumbing of the 2009 International Residential Code in its entirety.
Comment				

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
24	24	4388	Doug Harvey	Replace the Florida Building Code, Residential Section 24-Fuel Gas with Section 24 Fuel Gas of the 2009 International Residential Code in its entirety.
Comment				

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Plumbing **Total Mods for this TAC:** 43

SubCode: Residential

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
24	2415.14.3	4023	J Glenn-BASF	Retain base code (IRC) language.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
24	2417.7.4	4024	J Glenn-BASF	Retain base code (IRC) language

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
24	G2408.2 (305.3)	4081	Robert Trumbower	To make Section G2408.2 (305.3) of the Florida Residential Code the same as the Section 305.3 of the Florida Fuel Gas Code.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
26	2603.6	4022	J Glenn-BASF	Retain base code language

Comment

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Plumbing **Total Mods for this TAC:** 43

SubCode: Residential

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
26	P2603.2	4212	T Stafford	This modification is a correlation with the modification that deletes the prescriptive construction requirements in the code that do not apply to the design of buildings in Florida.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
28	P2803.6.1.2	3648	Ben Bentley	Add exception to this section of code for a solar system that can have multiple PRV's. Discharging a 1/2" relief device from the solar loop into the T&P tank discharge should be acceptable.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
28	P2803.6.2.1	3647	Ben Bentley	An exception needs to be added to the code to clarify proper discharge of open loop potable water systems where the relief device is located on the roof near the solar collector(s).

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
41	R4101.17.1.9	3934	Jennifer Hatfield	This proposal makes changes to the pool alarm requirements in order to provide for consistency with the UL 2017 General-Purpose Signaling Devices and Systems standard that an exit alarm must comply with per the code.

Comment

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

TAC: Plumbing **Total Mods for this TAC:** 43

SubCode: Residential

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
41	R4101.4.2	3899	Rebecca Quinn	Move provisions for pools in flood hazard areas that are found in Appendix G of the IRC into the body of the code. This modification refers back to R322 to determine whether specific requirements apply.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
43	APSP	4328	Jennifer Hatfield	Clarifies that NSPI is the former name of the APSP. Updates the ANSI/NSPI-5 standard for residential inground pools to reflect the 2010 revision.

Comment

<u>Chapter</u>	<u>Section</u>	<u>Mod #</u>	<u>Proponent</u>	<u>Summary</u>
43	UL	3937	Jennifer Hatfield	Updates the UL 2017 Standard for General-Purpose Signaling Devices and Systems to the 2008 second edition with revisions.

Comment

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	

TAC & Commission Tracking Chart

Search Criteria

Modification #:	ALL	Code Version:	2010
Code Change Cycle:	ALL	Sub Code:	ALL
Chapter & Topic:	ALL	Section:	ALL
Date Submitted From:	ALL	Date Submitted To:	ALL
TAC:	ALL	TAC Recommendation:	ALL
Commission Action:	ALL	Proponent Last Name:	ALL
Proponent First Name:	ALL	Text of Modification:	ALL
Related Modifications:	ALL	Affects HVHZ:	ALL

TAC Recommendations

AS = Approved as Submitted	W = Withdrawn
AM = Approved as Modified	I = Insufficient (incomplete or does not meet criteria)
NAR = No Affirmative Recommendation	