



LEGEND	
SYMBOL	DESCRIPTION
	EXIT LT.
	WALL MOUNTED EMERGENCY LT. w/ BATTERY BACKUP
	EXIT/EMERGENCY LT.
	WALL MOUNTED FIRE EXTINGUISHER S.C. TO COORDINATE EXACT QUANTITY & LOCATION W/ FIRE DEPT. PRIOR TO INSTALLATION

**TOILET ACCESSORIES**

PROVIDE 1 EACH OF THE FOLLOWING TOILET ACCESSORIES IN EACH TOILET:

- 1) PAPER TOWEL DISPENSER
- 2) 1 1/2" GRAB BAR 36" LG. ON BACK WALL
- 3) 1 1/2" GRAB BAR 42" LG. ON SIDE WALL
- 4) 18" x 24" WALL MIRROR U.N.O.
- 5) TOILET TISSUE DISPENSER

\* PROVIDE BLOCKING IN WALLS AS NEEDED TO INSTALL ACCESSORIES

F.E. FIRE EXTINGUISHER  
 MIN. RATING OF 2A10BC  
 READILY ACCESSIBLE THE TOP OF THE EXTINGUISHER SHALL NOT BE MORE THAN 5' A.F.F. AND THE BOTTOM OF THE EXTINGUISHER SHALL NOT BE LESS THAN 4" A.F.F.

**LIFE SAFETY PLAN**  
 SCALE: 1/8" = 1'-0"

REVISIONS	BY

*Ray C. Parsons Architect, LLC*  
*Architects / Planners*

1178 Broadway Ave - Kissimmee, Florida 34741  
 Phone: (407) 908-0601 - E-mail: ray@parsonsgroup.net  
 Reg. #AB0011824

Ray C. Parsons  
 2022.07.07  
 No. 1466-03  
 State of Florida

**KISSIMMEE COMMERCIAL CENTER**  
**BUILDING 1, KISSIMMEE**  
 OSCEOLA COUNTY, FLORIDA

DRAWN C.M.
CHECKED
DATE 07/06/2022
SCALE AS SHOWN
JOB NO. N/A
SHEET LS-1