


SECOND FLOOR

SCALE : 3/32" = 1'-0"
FINISHED FLOOR EL.134'-0"

WALL TYPES	
MARK	WALL INFORMATION
P	10" CMU WALL, 3/4" THK IKO ENORFOIL INSULATION (R5.1), 7/8" FURRING CHANNEL, 5/8" DRYWALL.
S	5/8" DRYWALL, 3 5/8" METAL STUD AT 16" O.C., 5/8" DRYWALL
T	5/8" TYPE 'X' DRYWALL, 6" METAL STUD (600-S-125-43MIL) AT 12" O.C.,BAT INSULATION R13, 3/4" THK ENORFOIL INSULATION (R5.1), 5/8" TYPE 'X' DRYWALL.
U	5/8" DRYWALL, 3 5/8" METAL STUD AT 16" O.C., 1'-4" PIPE CHASE, 3 5/8" METAL STUD AT 16" O.C., 5/8" DRYWALL
U1	5/8" DRYWALL, 3 5/8" METAL STUD AT 16" O.C., 2'-2" PIPE CHASE, 3 5/8" METAL STUD AT 16" O.C., 5/8" DRYWALL
U2	5/8" DRYWALL, 3 5/8" METAL STUD AT 21" O.C., 2'-2" PIPE CHASE, 3 5/8" METAL STUD AT 16" O.C., 5/8" DRYWALL
V	5/8" TYPE 'X' DRYWALL, 6" METAL STUD (600-S-125-43MIL) AT 12" O.C., 8" PIPE CHASE, 3-5/8" METAL STUD AT 16" O.C., BAT INSULATION (R13), 3/4" THK. IKO ENERFOIL INSULATION (R5.1), 5/8" TYPE 'X' DRYWALL.
P1	5/8" DRYWALL, 7/8" FURRING CHANNEL, 10" CMU WALL, 7/8" FURRING CHANNEL, 5/8" DRYWALL.
S1	IL LINER PANEL, 6" METAL STUD (600-S-125-43MIL) AT 16" O.C., IL LINER PANEL

WINDOW SCHEDULE		
WINDOW CALLOUT	WINDOW SIZE(W X H)	FIRE RATING
W1	3'-0"X3'-6"	-
W2	5'-0"X3'-6"	-
W3	6'-0"X3'-6"	1 HR
W4	9'-0"X3'-6"	1 HR
W5	13'-0"X4'-0"	-
W6	4'-0"X3'-6"	1 HR
W16	4'-0"X6'-0"	-

LEGENDS	
XXX	DOOR NUMBER
XX	WALL CALLOUT
XX	WINDOW CALLOUT




PART PLAN

SCALE : 3/32" = 1'-0"
FINISHED FLOOR EL.144'-5"

NOTES:

- FOR STRUCTURAL GENERAL NOTES SEE DRAWING 1285-6000, 1285-6002, 1285-6003 AND 1285-6004.
- FOR DOOR SCHEDULE SEE DRAWING 1285-1033.
- SEE DRAWING 1285-1003 FOR PLAN LOCATION.
- PROVIDE SPRAY FOAM INSULATION HAVING MINIMUM R VALUE OF 6.3 FOR FLOOR OF HMI AND TAPE ROOM. PROVIDE AN APPROVED THERMAL BARRIER OF 1/2" (12.7MM) GYPSUM WALLBOARD DROPPED CEILING TO PROTECT SPRAY FOAM UNDER HMI AND TAPE ROOM.
- CLOUDS WHICH ARE SHOWN IN ORANGE AND NOT MARKED WITH REVISION NUMBERS HIGHLIGHT THE CHANGES IN ASI 2 SET WHICH WERE REVERTED BACK TO PREVIOUS IFC ISSUE .

ISSUED FOR CONSTRUCTION



PROFESSIONAL SEAL:	DISCLAIMER: THIS DRAWING IS THE SOLE PROPERTY OF IKO INDUSTRIES LTD. (IKO) AND MAY NOT BE COPIED, PUBLISHED OR DISCLOSED BY ANY RECIPIENT THEREOF OR USED FOR ANY PURPOSE OTHER THAN THE SPECIFIC PURPOSE FOR WHICH IT HAS BEEN PROVIDED TO THE RECIPIENT, WITHOUT THE PRIOR WRITTEN CONSENT OF IKO. USE OF THIS DRAWING MAY BE SUBJECT TO OTHER TERMS AND CONDITIONS AS SET OUT IN ANY CONTRACT BETWEEN IKO AND THE RECIPIENT										3	ASI #2	2024/24/05	PJD	DV	SBG	SHEET SIZE: ANSI D	<p>IKO INDUSTRIES LTD. IKO CLAY HILL</p> <p>PROJECT TITLE: CLAY HILL SHINGLE PLANT</p> <p>TITLE: BUILDING: PLANT OFFICE FLOOR PLAN</p> <p>CONSULTANT: COOPER & ASSOCIATES LLC</p> <p>Engineers - Project Managers 2200 Ellis Road, New Lenox, Illinois, 60451 Phone: 815-740-0860 www.cooper-engr.com</p>
							2	ISSUED FOR CONSTRUCTION	2024/12/04	NVS	DV	SBG	DRAWN BY: NNN					
							1	ISSUED FOR CONSTRUCTION	2024/13/03	NVS	JCV	SBG	CHECKED BY: DV					
	5	ASI #12	2024/28/08	NVS	DV	SBG	0	ISSUED FOR CONSTRUCTION	2024/18/01	NNN	JCV	SBG	APPROVED BY: SBG					
	4	ASI-08 PERMIT REISSUE	2024/25/07	SG	DV	SBG	A	ISSUED FOR REVIEW	2024/05/01	NNN	JCV	SBG	APPROVED BY:					
REV.	DESCRIPTION	DATE	DRN.	CHK.	APPR.	REV.	DESCRIPTION	DATE	DRN.	CHK.	APPR.	DATE: 01/03/2024	CONSULTANT DRAWING#: 1285-1031	PROJECT#: 22027	REV: 5			
													OWNER DRAWING#: 22027-CH01-S-DWG-1031	DWG#: 1031				