

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011356-R4
DATE: 12/14/2012
CERTIFICATION PROGRAM: Structural
COMPANY: Nan Ya
CODE: 661-1
REVISION DATE: 08/10/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Nan Ya Plastics Corporation USA 8989 North Loop East, Suite 800 Houston, TX 77029	Series "SPLS" Gliding Patio Door Configuration: OXXO Glazing: IG-1/8" Tempered Glass/1/8" Annealed Glass Frame: W-3585mm(141.13") H-2093mm(82.38") Panel: W-908mm(35.75") H-2013mm(79.25") DLO: W-667mm(26.25") H-1676mm(66")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08	Class R-PG50 3585 X 2093 (142 x 83)-SD Design Pressure: 2400 Pa (50 psf) Qualifies Configurations: O/X/OX/XO/OXO/XXO/OXX/OXXO

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-3821-4
Expiration Date: June 30, 2032

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com