NOTICE OF PRODUCT CERTIFICATION



To verify that the "Notice of Product Certification" is valid, please visit <u>www.NAMICertification.com</u> to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS]	PRODUCT DESC	RIPTION
Nan Ya Plastics Corporation USA	Series "LPS Gliding Patio Door" Glazed		
8989 North Loop East, Suite 800	Fiberglass Sliding Glass Door		
Houston, TX 77029	w/Sill Riser & Bubble Cover		
	Configuration: XXO Glazing: IG-1/8" Tempered Glass/1/8" Annealed Glass/0.090" Kuraray PVB Interlayer//1/8" Annealed Glass		
	Frame:	W-2692mm(106")	H-2088mm(82.19")
	Panel:	W-908mm(35.75")	H-2013mm(79.25")
	DLO:	W-667mm(26.25")	H-1676mm(66")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 ASTM E1886-05 ASTM E1996-05/09 CSA A440S1-09	Class R-PG50 2692 x 2088 (106 x 82)-SD Design Pressure: ±2400 Pa (50 psf) Water Penetration Resistance Test Pressure: 720 Pa (15.0 psf) Canadian Air Infiltration/Exfiltration Level: A2 Wind Zone 4 - Missile Level D Qualifies Configurations: O/X/OX/XO/OXX/XXO/XX

Product Tested By: Report No: Expiration Date: National Certified Testing Laboratories NCTL-210-4058-01 February 28, 2025

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072

Hayes, VA 23072 Tel: (804) 684-5124 Fax: (804) 684-5122