

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI013729.05-R1  
**DATE:** 05/25/2017  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Nan Ya  
**CODE:** 661-1  
**REVISION DATE:** 09/21/2020

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Nan Ya Plastics Corporation USA</b> <b>8989 North Loop East, Suite 800</b> <b>Houston, TX 77029</b>	<b>Series "LPS Gliding Patio Door" Glazed</b> <b>Fiberglass Sliding Glass Door</b> <b>w/Sill Riser &amp; Bubble Cover</b>  Configuration: XXO Glazing: Insulating Glass (Tempered)  Frame:    W-2692mm(106")    H-2088mm(82.19") Panel:    W-908mm(35.75")    H-2013mm(79.25") DLO:      W-667mm(26.25")    H-1676mm(66")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>CSA A440S1-09</b>	<b>Class R-PG50 2692 x 2088 (106 x 82)-SD</b> <b>Design Pressure: ±2400 Pa (50 psf)</b> Water Penetration Resistance Test Pressure: 720 Pa (15.0 psf) <b>Canadian Air Infiltration/Exfiltration Level: A2</b> Qualifies Configurations: O/X/OX/XO/OXX/XXO/XX

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-210-4058-01A  
Expiration Date: **February 28, 2025**

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122