

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013729.11-R1
DATE: 06/02/2017
CERTIFICATION PROGRAM: Structural
COMPANY: Nan Ya
CODE: 661-1
REVISION DATE: 09/21/2020

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Nan Ya Plastics Corporation USA 8989 North Loop East, Suite 800 Houston, TX 77029	Series "LPS Gliding Patio Door" Glazed Fiberglass Sliding Glass Door w/Sill Riser & Bubble Cover Configuration: XXO Glazing: Insulating Glass (Tempered) Frame: W-2692mm(106") H-2426mm(95.5") Panel: W-908mm(35.75") H-2352mm(92.59") DLO: W-635mm(25") H-2007mm(79")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 CSA A440S1-09	Class R-PG50 2692 x 2426 (106 x 95)-SD Design Pressure: ±2400 Pa (50 psf) Water Penetration Resistance Test Pressure: 720 Pa (15.0 psf) Canadian Air Infiltration/Exfiltration Level: A2 Qualifies Configurations: O/X/OX/XO/OXX/XXO/XX

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-4058-02A
Expiration Date: **February 28, 2025**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122