

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI011367.01-R3  
**DATE:** 12/19/2012  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Nan Ya  
**CODE:** 661-1  
**REVISION DATE:** 08/15/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Nan Ya Plastics Corporation USA</b> <b>8989 North Loop East, Suite 800</b> <b>Houston, TX 77029</b>	<b>Series "In-Swing Transom"</b> <b>Vinyl Transom Window</b>  Configuration: OOO  Glazing: IG-1/8" Tempered Glass/Laminate-1/8" Annealed Glass/0.090" PVB Interlayer/1/8" Annealed Glass  Frame: W-3693mm(145.38") H-610mm(24")  DLO: W-1159mm(45.63") H-534mm(21")

SPECIFICATION	PRODUCT RATING
<b>TAS 201/202/203-94</b>	<b>Design Pressure = +80/-80 psf</b> Water Penetration Resistance Test Pressure = 575 Pa (12.0 psf) <b>Large Missile Impact Rated</b>

Product Tested By: ETC Laboratories  
Report No: ETC-08-209-21133.0  
Expiration Date: August 31, 2032

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be 'S. D.' or similar, written over a horizontal line.

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124/Email: [nami@namiinc.com](mailto:nami@namiinc.com)