

# Hallmark® Certificate of Conformance and License (CCL)



Marvin  
PO Box 100  
401 State Ave N.  
401 State Ave N.  
Warroad, MN 56763

*Mfr ID:* 407  
*For more Information visit* [www.amscert.com](http://www.amscert.com)  
*Website:* [www.marvin.com](http://www.marvin.com)  
*TEL:* 218-386-1430

<i>Product No.</i>	<i>Product Name</i>	<i>Standard</i>	<i>Rating</i>	<i>Wide</i>	<i>High</i>	<i>Test Report #</i>	<i>CertDate</i>	<i>ExpDate</i>
407-H-936.06	Elevate Inswing French Door	101/I.S.2/A440-11	Class LC-PG50; Size Tested 1803mm x 2425mm Type-SHD; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	1803mm	2425mm	F9211.01-201-47	8/19/2016	6/16/2026
407-H-936.07	Elevate Inswing French Door	101/I.S.2/A440-08	Class LC-PG50; Size Tested 1803mm x 2425mm Type-SHD; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	1803mm	2425mm	F9211.01-201-47	8/19/2016	6/16/2026
407-H-936.08	IIFD XO 6080 HP	101/I.S.2/A440-11	Class LC-PG50; Size Tested 1803mm x 2425mm Type-SHD; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	1803mm	2425mm	F9210.01-201-47	8/19/2016	6/16/2026
407-H-936.09	Elevate Inswing French Door	101/I.S.2/A440-08	Class LC-PG50; Size Tested 1803mm x 2425mm Type-SHD; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	1803mm	2425mm	F9210.01-201-47	8/19/2016	6/16/2026
407-H-936.10	Elevate Inswing French Door	101/I.S.2/A440-11	Class LC-PG30; Size Tested 1803mm x 2425mm Type-SHD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A3	1803mm	2425mm	F9209.01-201-47	8/19/2016	6/16/2026
407-H-936.11	IIFD XX 6080 Standard	101/I.S.2/A440-08	Class LC-PG30; Size Tested 1803mm x 2425mm Type-SHD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A3	1803mm	2425mm	F9209.01-201-47	8/19/2016	6/16/2026
407-H-936.12	Elevate Inswing French Door	101/I.S.2/A440-11	Class LC-PG30; Size Tested 1803mm x 2425mm Type-SHD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A2	1803mm	2425mm	F9208.01-201-47	8/19/2016	6/16/2026
407-H-936.13	Elevate Inswing French Door	101/I.S.2/A440-08	Class LC-PG30; Size Tested 1803mm x 2425mm Type-SHD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A2	1803mm	2425mm	F9208.01-201-47	8/19/2016	6/16/2026

# Hallmark® Certificate of Conformance and License (CCL)



Marvin  
PO Box 100  
401 State Ave N.  
401 State Ave N.  
Warroad, MN 56763

Mfr ID: 407  
For more Information visit [www.amscert.com](http://www.amscert.com)  
Website: [www.marvin.com](http://www.marvin.com)  
TEL: 218-386-1430

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
407-H-936.14	IIFD XX 6080 impact	ASTM E-1996-14/ ASTM E-1886-13	DP +55/-55 psf, Missile D, Wind Zone 3	1803mm	2425mm	F9207.02-201-47	8/19/2016	6/16/2026
407-H-936.15	Elevate Inswing French Door IZ3	101/I.S.2/A440-11	Class LC-PG55; Size Tested 1803mm x 2425mm Type- SHD; DP +55/-55 psf; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A3	1803mm	2425mm	F9207.01-201-47	8/19/2016	6/16/2026
407-H-936.16	Elevate Inswing French Door IZ3	101/I.S.2/A440-08	Class LC-PG55; Size Tested 1803mm x 2425mm Type- SHD; DP +55/-55 psf; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A3	1803mm	2425mm	F9207.01-201-47	8/19/2016	6/16/2026
407-H-936.17	Elevate Inswing French Door IZ3	ASTM E-1996-14/ ASTM E-1886-13	DP +55/-65 psf, Missile D, Wind Zone 3	1803mm	2425mm	F9206.02-201-47	8/19/2016	6/16/2026
407-H-936.18	Elevate Inswing French Door IZ3	101/I.S.2/A440-11	Class LC-PG55; Size Tested 1803mm x 2425mm Type- SHD; DP +55/-65 psf; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A3	1803mm	2425mm	F9206.01-201-47	8/19/2016	6/16/2026
407-H-936.19	Elevate Inswing French Door IZ3	101/I.S.2/A440-08	Class LC-PG55; Size Tested 1803mm x 2425mm Type- SHD; DP +55/-65 psf; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A3	1803mm	2425mm	F9206.01-201-47	8/19/2016	6/16/2026
407-H-936.20	Elevate Inswing French Door IZ3 + Elevate Inswing French Door IZ3	101/I.S.2/A440-08	Class LC-PG30; Size Tested 2726mm x 2425mm Type- SHD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A3	2726mm	2425mm	H0538.01-201-47	8/28/2017	5/1/2027
407-H-936.21	Elevate Inswing French Door IZ3	101/I.S.2/A440-11	Class LC-PG30; Size Tested 2726mm x 2425mm Type- SHD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A3	2726mm	2425mm	H0538.01-201-47	8/28/2017	5/1/2027
407-H-936.22	Elevate Inswing French Door IZ3 + Elevate Inswing French Door IZ3	AAMA 450-10	Class LC-PG30; Size Tested 2726mm x 2425mm Type- SHD; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=A3	2726mm	2425mm	H0538.01-201-47	8/16/2017	5/1/2027

# Hallmark® Certificate of Conformance and License (CCL)




Marvin  
PO Box 100  
401 State Ave N.  
401 State Ave N.  
Warroad, MN 56763

Mfr ID: 407  
For more Information visit [www.amscert.com](http://www.amscert.com)  
Website: [www.marvin.com](http://www.marvin.com)  
TEL: 218-386-1430

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
-------------	--------------	----------	--------	------	------	---------------	----------	---------

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  John McFee, VP of Certification Programs, WDMA Hallmark

By:  Lucas L. Wenzel, Authorized Representative, AMS

Program Sponsor:  
Window and Door Manufacturers Assoc  
330 N. Wabash Avenue, Suite 2000  
Chicago, IL 60611  
TEL (312)673-4828 [www.wdma.com](http://www.wdma.com)

Program Administrator:  
Administrative Management Systems, Inc.  
PO Box 730, 205 West Main  
Sackets Harbor, NY 13685  
TEL (315)646-2234 [staff@amscert.com](mailto:staff@amscert.com)