



Marvin
PO Box 100
401 State Ave N.
401 State Ave N.
Warroad, MN 56763

Mfr ID: 407
For more Information visit www.amscert.com
Website: www.marvin.com
TEL: 218-386-1430

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
407-H-863.45	Fiberglass Clad Wood Outswing French Doors IZ3 71" x 95.5" (XX)	101/I.S.2/A440-11	Class LC-PG55; Size Tested 1803mm x 2425mm Type-SHD; DP +55/-55 psf; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A3	1803mm	2425mm	G8919.01-201-47	6/22/2017	3/9/2027
407-H-863.46	Fiberglass Clad Wood Outswing French Doors IZ3 71" x 95.5" (XX)	101/I.S.2/A440-08	Class LC-PG55; Size Tested 1803mm x 2425mm Type-SHD; DP +55/-55 psf; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A3	1803mm	2425mm	G8919.01-201-47	6/22/2017	3/9/2027
407-H-863.47	Fiberglass Clad Wood Outswing French Doors IZ3 71" x 82" (XX)	101/I.S.2/A440-11	Class LC-PG55; Size Tested 1803mm x 2082mm Type-SHD; DP +55/-55 psf; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A3	1803mm	2082mm	G8919.01-201-47	6/22/2017	3/9/2027
407-H-863.48	Fiberglass Clad Wood Outswing French Doors IZ3 71" x 82" (XX)	101/I.S.2/A440-08	Class LC-PG55; Size Tested 1803mm x 2082mm Type-SHD; DP +55/-55 psf; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A3	1803mm	2082mm	G8919.01-201-47	6/22/2017	3/9/2027
407-H-863.49	Fiberglass Clad Wood Outswing French Door IZ3 36.3" x 95.5" (X)	101/I.S.2/A440-11	Class LC-PG55; Size Tested 923mm x 2425mm Type-SHD; DP +55/-65 psf; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A2	923mm	2425mm	G8920.01-201-47	6/22/2017	3/7/2027
407-H-863.50	Fiberglass Clad Wood Outswing French Door IZ3 36.3" x 95.5" (X)	101/I.S.2/A440-08	Class LC-PG55; Size Tested 923mm x 2425mm Type-SHD; DP +55/-65 psf; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A2	923mm	2425mm	G8920.01-201-47	6/22/2017	3/7/2027
407-H-863.51	Fiberglass Clad Wood Glass Fixed Door IZ3 36.3" x 95.5" (O)	101/I.S.2/A440-11	Class LC-PG55; Size Tested 923mm x 2425mm Type-FD; DP +55/-65 psf; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A3	923mm	2425mm	G8921.01-201-47	6/22/2017	3/6/2027
407-H-863.52	Fiberglass Clad Wood Glass Fixed Door IZ3 36.3" x 95.5" (O)	101/I.S.2/A440-08	Class LC-PG55; Size Tested 923mm x 2425mm Type-FD; DP +55/-65 psf; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A3	923mm	2425mm	G8921.01-201-47	6/22/2017	3/6/2027

Hallmark® Certificate of Conformance and License (CCL)



Marvin
PO Box 100
401 State Ave N.
401 State Ave N.
Warroad, MN 56763

Mfr ID: 407
For more Information visit www.amscert.com
Website: www.marvin.com
TEL: 218-386-1430

<i>Product No.</i>	<i>Product Name</i>	<i>Standard</i>	<i>Rating</i>	<i>Wide</i>	<i>High</i>	<i>Test Report #</i>	<i>CertDate</i>	<i>ExpDate</i>
407-H-863.53	Fiberglass Clad Wood Glass Door 71" x 95.5" (XX)	101/I.S.2/A440-11	Class LC-PG50; Size Tested 1803mm x 2425mm Type-SHD; DP +50/-50 psf; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A3	1803mm	2425mm	G8922.01-201-47	6/23/2017	3/9/2027
407-H-863.54	Fiberglass Clad Wood Glass Door 71" x 95.5" (XX)	101/I.S.2/A440-08	Class LC-PG50; Size Tested 1803mm x 2425mm Type-SHD; DP +50/-50 psf; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A3	1803mm	2425mm	G8922.01-201-47	6/23/2017	3/9/2027
407-H-863.55	Fiberglass Clad Wood Glass Door ELOFD 71" x 82" (XX)	101/I.S.2/A440-11	Class LC-PG50; Size Tested 1803mm x 2082mm Type-SHD*; DP +50/-50 psf; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A3	1803mm	2082mm	G8922.01-201-47	6/23/2017	3/9/2027
407-H-863.56	Fiberglass Clad Wood Glass Door ELOFD 71" x 82" (XX)	101/I.S.2/A440-08	Class LC-PG50; Size Tested 1803mm x 2082mm Type-SHD*; DP +50/-50 psf; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A3	1803mm	2082mm	G8922.01-201-47	6/23/2017	3/9/2027
407-H-863.57	Fiberglass Clad Wood Glass Fixed Door ELOFD 36.3" x 95.5" (O)	101/I.S.2/A440-11	Class LC-PG50; Size Tested 923mm x 2425mm Type-FD; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	923mm	2425mm	G8925.01-201-47	6/23/2017	3/6/2027
407-H-863.58	Fiberglass Clad Wood Glass Fixed Door ELOFD 36.3" x 95.5" (O)	101/I.S.2/A440-08	Class LC-PG50; Size Tested 923mm x 2425mm Type-FD; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	923mm	2425mm	G8925.01-201-47	6/23/2017	3/6/2027
407-H-863.59	Fiberglass Clad Wood Glass Fixed Door ELOFD 36.3" x 95.5" (O)	ASTM E-1996 09/ ASTM E-1886-05	DP +55/-65 psf, Missile D, Wind Zone 3	923mm	2425mm	G8921.02-201-47-R0	6/23/2017	3/9/2027
407-H-863.60	Fiberglass Clad Wood Glass Door ELOFD 36.3" x 95.5" (X)	ASTM E-1996 09/ ASTM E-1886-05	DP +55/-65 psf, Missile D, Wind Zone 3	923mm	2425mm	G8920.02-201-47-R1	6/23/2017	5/1/2027
407-H-863.61	Fiberglass Clad Wood Glass Door ELOFD (XX)	ASTM E-1996 09/ ASTM E-1886-05	DP +55/-55 psf, Missile D, Wind Zone 3	1803mm	2425mm	G8919.02-201-47-R1	6/23/2017	5/1/2027

Hallmark® Certificate of Conformance and License (CCL)




Marvin
PO Box 100
401 State Ave N.
401 State Ave N.
Warroad, MN 56763

Mfr ID: 407
For more Information visit www.amscert.com
Website: www.marvin.com
TEL: 218-386-1430

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
-------------	--------------	----------	--------	------	------	---------------	----------	---------

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  John McFee, VP of Certification Programs, WDMA Hallmark

By:  Lucas L. Wenzel, Authorized Representative, AMS

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com