

Hallmark® Certificate of Conformance and License (CCL)



AMS, INC.
Administrative Management
Systems, Inc.

Kolbe & Kolbe Millwork Co.
1323 South 11th Avenue
Wausau, WI 54401

Mfr ID: 413

For more Information visit www.amscert.com

Website: www.kolbewindows.com

TEL:

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	RptDate	CertDate	ExpDate
413-H-1278.13	Heritage Traditional Double Hung, Rect SP (R&D 23040 Recert 12071)	101/I.S.2/A440-22	Class LC-PG25; Size Tested 1156mm x 2043mm Type-H; DP +25/-25 psf; Water Test Press 180Pa (3.76psf)	1156mm	2043mm	QCT24-7203.03	5/13/2024	6/6/2024	3/26/2034
413-H-1278.14	Heritage Traditional Double Hung, Rect SP (R&D 23040 Recert 12071)	101/I.S.2/A440-17	Class LC-PG25; Size Tested 1156mm x 2043mm Type-H; DP +25/-25 psf; Water Test Press 180Pa (3.76psf)	1156mm	2043mm	QCT24-7203.03	5/13/2024	6/5/2024	3/26/2034
413-H-1278.15	Heritage Traditional Double Hung, Rect SP (R&D 23040 Recert 12071)	CSA A440 S1-17	Class LC-PG25; Size Tested 1156mm x 2043mm Type-H; DP +1200/-1200 Pa; (+25/-25) Water Test Press 180Pa (3.76psf)	1156mm	2043mm	QCT24-7203.03	5/13/2024	6/5/2024	3/26/2034
413-H-1278.16	Heritage Traditional Double Hung, Rect SP (R&D 23040 Recert 12071)	CSA A440 S1-19	Class LC-PG25; Size Tested 1156mm x 2043mm Type-H; DP +1200/-1200 Pa; Water Test Press 180Pa (3.76psf); Can. Air Infil/Exfil. Level=A3	1156mm	2043mm	QCT24-7203.03	5/13/2024	6/5/2024	3/26/2034
413-H-1278.17	Heritage Traditional Double Hung Fixed, Rect SP (R&D 23040 Recert 12071)	101/I.S.2/A440-22	Class LC-PG25; Size Tested 1969mm x 2043mm Type-FW; DP +25/-25 psf; Water Test Press 180Pa (3.76psf)	1969mm	2043mm	QCT24-7203.03	5/13/2024	6/5/2024	3/26/2034
413-H-1278.18	Heritage Traditional Double Hung Fixed, Rect SP (R&D 23040 Recert 12071)	101/I.S.2/A440-17	Class LC-PG25; Size Tested 1969mm x 2043mm Type-FW; DP +25/-25 psf; Water Test Press 180Pa (3.76psf)	1969mm	2043mm	QCT24-7203.03	5/13/2024	6/5/2024	3/26/2034
413-H-1278.19	Heritage Traditional Double Hung Fixed, Rect SP (R&D 23040 Recert 12071)	CSA A440 S1-17	Class LC-PG25; Size Tested 1969mm x 2043mm Type-FW; DP +1200/-1200 Pa; (+25/-25) Water Test Press 180Pa (3.76psf)	1969mm	2043mm	QCT24-7203.03	5/13/2024	6/5/2024	3/26/2034
413-H-1278.20	Heritage Traditional Double Hung Fixed, Rect SP (R&D 23040 Recert 12071)	CSA A440 S1-19	Class LC-PG25; Size Tested 1969mm x 2043mm Type-FW; DP +1200/-1200 Pa; Water Test Press 180Pa (3.76psf); Can. Air Infil/Exfil. Level=A3	1969mm	2043mm	QCT24-7203.03	5/13/2024	6/5/2024	3/26/2034
413-H-1278.21	Heritage Traditional Double Hung mulled to DH Studio, Rect SP (R&D 23040 Recert 12071)	101/I.S.2/A440-22	Class LC-PG25; Size Tested 2043mm Span x 1562mm Trib Width Type-MA; DP +25/-25 psf; Water Test Press 180Pa (3.76psf)	2043mm trib width	1562mm	QCT24-7203.03	5/13/2024	6/5/2024	3/26/2034

Hallmark® Certificate of Conformance and License (CCL)



AMS, INC.
Administrative Management
Systems, Inc.

Kolbe & Kolbe Millwork Co.
1323 South 11th Avenue
Wausau, WI 54401

Mfr ID: 413


For more Information visit www.amscert.com


Website: www.kolbewindows.com

TEL:

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	RptDate	CertDate	ExpDate
413-H-1278.22	Heritage Traditional Double Hung mulled to DH Studio, Rect SP (R&D 23040 Recert 12071)	101/I.S.2/A440-17	Class LC-PG25; Size Tested 2043mm Span x 1562mm Trib Width Type-MA; DP +25/-25 psf; Water Test Press 180Pa (3.76psf)	2043mm trib width	1562mm	QCT24-7203.03	5/13/2024	6/5/2024	3/26/2034
413-H-1278.23	Heritage Traditional Double Hung mulled to DH Studio, Rect SP (R&D 23040 Recert 12071)	CSA A440 S1-17	Class LC-PG25; Size Tested 2043mm Span x 1562mm Trib Width Type-MA; DP +1200/-1200 Pa; (+25/-25) Water Test Press 180Pa (3.76psf)	2043mm trib width	1562mm	QCT24-7203.03	5/13/2024	6/5/2024	3/26/2034
413-H-1278.24	Heritage Traditional Double Hung mulled to DH Studio, Rect SP (R&D 23040 Recert 12071)	CSA A440 S1-19	Class LC-PG25; Size Tested 2043mm Span x 1562mm Trib Width Type-MA; DP +1200/-1200 psf; Water Test Press 180Pa (3.76psf); Can. Air Infil/Exfil. Level=A3	2043mm trib width	1562mm	QCT24-7203.03	5/13/2024	6/5/2024	3/26/2034

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  **John McFee, VP of Certification Programs, WDMA Hallmark**

By:  **Lucas L. Wenzel, Authorized Representative, AMS**

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com