

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011401-R6
DATE: 01/14/2013
CERTIFICATION PROGRAM: Structural
COMPANY: JELD-WEN
CODE: 1822-1
REVISION DATE: 05/21/2019

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN 3737 Lakeport Boulevard Klamath Falls, OR 97601	"Contours" Premium Steel Door w/Steel Edge Opaque In-Swing Door w/Dunbarton Redi-Flex 90. Min Steel Frame & Standard AFCO Threshold Configuration: X Frame: W-990mm(38.94") H-2201mm(86.63") Panel: W-909mm(35.75") H-2005mm(83.25")

SPECIFICATION	PRODUCT RATING
ASTM E283-04/E330-02/E331-00 ASTM E1886-06/1996-06 TAS 201/202/203-94	Design Pressure: 3161 Pa (66 psf) Negative Design Pressure: 3161 Pa (66 psf) Water Penetration Resistance Test Pressure: 0 Pa (0 psf) Wind Zone 4 - Missile Level D Large Missile Impact Rated Qualifies Configurations: X

Product Tested By: National Certified Testing Laboratories/Certified Testing Laboratories, Inc.
Report No: NCTL-210-3844-1/NCTL-210-3844-1A/CTLA1167W-1/CTLA-1167W-2A/W-1546/W-1788/W-1819/W-1897/W-1905
Expiration Date: **October 31, 2026**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011401.02-R6
DATE: 01/14/2013
CERTIFICATION PROGRAM: Structural
COMPANY: JELD-WEN
CODE: 1822-1
REVISION DATE: 05/21/2019

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN 3737 Lakeport Boulevard Klamath Falls, OR 97601	"Contours" Premium Steel Door w/Steel Edge Opaque Out-Swing Door w/Dunbarton Redi-Flex 90. Min Steel Frame & Standard AFCO Threshold Configuration: X Frame: W-990mm(38.94") H-2169mm(85.38") Panel: W-909mm(35.75") H-2005mm(83.25")

SPECIFICATION	PRODUCT RATING
ASTM E283-04/E330-02/E331-00 ASTM E1886-05/06/1996-05b/06 TAS 201/202/203-94	Design Pressure: 3161 Pa (66 psf) Negative Design Pressure: 3161 Pa (66 psf) Water Penetration Resistance Test Pressure: 396 Pa (8.25 psf) Wind Zone 4 - Missile Level D Large Missile Impact Rated Qualifies Configurations: X

Product Tested By: National Certified Testing Laboratories/Certified Testing Laboratories, Inc.
Report No: NCTL-210-3844-1/NCTL-210-3844-1A/CTLA1167W-1/CTLA-1167W-2A/W-1546/W-1788/W-1819/W-1897/W-1905
Expiration Date: **October 31, 2026**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122