

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011573.04
DATE: 10/23/2023
CERTIFICATION PROGRAM: Structural
COMPANY: JELD-WEN
CODE: 1822-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN 3737 Lakeport Boulevard Klamath Falls, OR 97601	“Contours Steel, Steel Edge” Steel Opaque Outswing Side-Hinged Door w/AFCO Threshold Configuration: X Frame: W-989mm(38.94") H-2134mm(84") Panel: W-908mm(35.75") H-2115mm(83.25")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	DP: +70/-70 Water Penetration Resistance Test Pressure: 503 Pa (10.5 psf) Large Missile Impact Rated

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-3879-1A/A009423/PER3027/W-1788/W-1819/W-1897/
W-1905
Expiration Date: **April 30, 2026**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shi D", written over a horizontal line.

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011573.05
DATE: 10/23/2023
CERTIFICATION PROGRAM: Structural
COMPANY: JELD-WEN
CODE: 1822-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN 3737 Lakeport Boulevard Klamath Falls, OR 97601	“Contours Steel, Steel Edge” Steel Opaque Inswing Side-Hinged Door w/AFCO Threshold Configuration: X Frame: W-989mm(38.94") H-2162mm(85.13") Panel: W-908mm(35.75") H-2115mm(83.25")

SPECIFICATION	PRODUCT RATING
TAS 201/203-94 TAS 202-94 (Structural Only)	DP: +70/-70 Water Penetration Resistance Test Pressure: 0.0 Pa (0.00 psf) Large Missile Impact Rated

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-3879-1A/A009423/PER3027/W-1788/W-1819/W-1897/
W-1905
Expiration Date: **April 30, 2026**

Administrator's Signature: _____ 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com