



Pella Corporation  
102 Main Street  
Pella, IA 50219

*Mfr#:* 411

*TEL:* 641-621-6096

<i>Product No.</i>	<i>Product Name</i>	<i>Standard</i>	<i>Rating</i>	<i>Wide</i>	<i>High</i>	<i>Test Report #</i>	<i>CertDate</i>	<i>ExpDate</i>
411-H-1502.04	Lifestyle with HGP Fixed Window	101/I.S.2/A440-17	Class CW-PG50; Size Tested 889mm x 1854mm Type-FW; DP +50/-50 psf; Water Test Press 700Pa (14.62psf); Can. Air Infil/Exfil. Level=Fixed	889mm	1854mm	ESP030123P.7	06/11/2019	02/26/2029
411-H-1502.05	Lifestyle with HGP Fixed Window	101/I.S.2/A440-11	Class CW-PG50; Size Tested 889mm x 1854mm * Type-FW; DP +50/-50 psf; Water Test Press 700Pa (14.62psf); Can. Air Infil/Exfil. Level=Fixed	889mm	1854mm	ESP030123P.7	06/11/2019	02/26/2029
411-H-1502.06	Lifestyle with HGP Fixed Window	101/I.S.2/A440-08	Class CW-PG50; Size Tested 889mm x 1854mm * Type-FW; DP +50/-50 psf; Water Test Press 700Pa (14.62psf); Can. Air Infil/Exfil. Level=Fixed	889mm	1854mm	ESP030123P.7	06/11/2019	02/26/2029
411-H-1502.07	Lifestyle with HGP Fixed Window	CSA A440 S1-09	Class CW-PG50; Size Tested 889mm x 1854mm * Type-FW; DP +2400/-2400Pa; Water Test Press 700Pa ; Can. Air Infil/Exfil. Level=Fixed	889mm	1854mm	ESP030123P.7	06/11/2019	02/26/2029

WDMA and AMS HEREBY CERTIFY that the aforesaid Company (“Licensee”), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the products set forth above were tested and found to comply with the standards.

*By:*  **John McFee, VP of Certification Programs, WDMA Hallmark**

*By:*  **Lucas L. Wenzel, Authorized Representative, AMS**

Program Sponsor:  
Window and Door Manufacturers Assoc  
330 N. Wabash Avenue, Suite 2000  
Chicago, IL 60611  
TEL (312)673-4828 www.wdma.com

Program Administrator:  
Administrative Management Services, Inc.  
205 West Main Street, PO Box 730  
Sackets Harbor, NY 13685  
TEL (315)646-2234 staff@amscert.com