NOTICE OF PRODUCT CERTIFICATION

	CERTIFICATION NO: DATE: ICATION PROGRAM: COMPANY: CODE: REVISION DATE:	<u>06/19/2013</u> Structural
--	---	---------------------------------

To verify that the "Notice of Product Certification" is valid, please visit <u>www.NAMICertification.com</u> to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION	
ProVia LLC	Steel In-Swing	
2150 State Route 39	Glazed Side Hinged Doors	
Sugarcreek, OH 44681		
	Configuration: XX Glazing: Insulating Glass (Tempered)	
	Frame: W-1880mm(74.03") H-2479mm(97.59")	
	DLO: W-518mm(20.38") H-1994mm(78.5")	

SPECIFICATION	PRODUCT RATING	
ASTM E283-04(12)/E330-02(10)	Design Pressure: +45/-50 psf Qualifies Configurations: X/XX	

Product Tested By: Report No: Expiration Date: National Certified Testing Laboratories NCTL-110-15660-1/W-1561/W-1978 December 31, 2024

Administrator's Signature:

NATIONAL ACCREDITATION & MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124 Fax: (804) 684-5122