NOTICE OF PRODUCT CERTIFICATION I



CERTIFICATION NO: NI011595.07-R3

DATE: 06/27/2013

CERTIFICATION PROGRAM: Structural

COMPANY: ProVia Door

CODE: 1212-1

REVISION DATE: 01/11/2021

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status.

Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
ProVia LLC	Fiberglass In-Swing
2150 State Route 39	Opaque Side Hinged Double Door
Sugarcreek, OH 44681	w/Sidelites
	Configuration: OXXO
	Sidelite Glazing: Insulating Glass (Tempered)
	Frame: W-3525mm(138.78") H-2478mm(97.59")
	Panel: W-908mm(35.75") H-2411mm(94.94")

SPECIFICATION	PRODUCT RATING
ASTM E330-02	Design Pressure: +45/-50 psf Qualifies Configurations: O/X/OX/XO/OXO/OXX/XXO/OXXO

Product Tested By: National Certified Testing Laboratories

Report No: NCTL-110-15660-1/NCTL-110-15650-4/NCTL-110-15651-4/W-1592/W-

1978

Expiration Date: December 31, 2024

Administrator's Signature:

NATIONAL ACCREDITATION &

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124

MANAGEMENT INSTITUTE, INC.

Fax: (804) 684-5124