

# Hallmark® Certificate of Conformance and License (CCL)




Pella Corporation  
102 Main Street  
Pella, IA 50219

*Mfr ID:* 411  
*For more Information visit* [www.amscert.com](http://www.amscert.com)  
*Website:* [www.pella.com](http://www.pella.com)  
*TEL:* 641-621-6096

<i>Product No.</i>	<i>Product Name</i>	<i>Standard</i>	<i>Rating</i>	<i>Wide</i>	<i>High</i>	<i>Test Report #</i>	<i>CertDate</i>	<i>ExpDate</i>
411-H-800.108	Lifestyle Double Hung	101/I.S.2/A440-11	Class LC-PG50; Size Tested 838mm x 1194mm * Type-H; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	838mm	1194mm	ESP040786P.5	5/21/2024	9/28/2033
411-H-800.109	Lifestyle Double Hung	101/I.S.2/A440-17	Class LC-PG50; Size Tested 838mm x 1194mm * Type-H; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	838mm	1194mm	ESP040786P.5	5/21/2024	9/28/2033
411-H-800.110	Lifestyle Double Hung	101/I.S.2/A440-22	Class LC-PG50; Size Tested 838mm x 1194mm * Type-H; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	838mm	1194mm	ESP040786P.5	5/21/2024	9/28/2033
411-H-800.111	Lifestyle Double Hung	CSA A440 S1-19	Class LC-PG50; Size Tested 838mm x 1194mm * Type-H; DP +2400/-2400 Pa; Water Test Press 360Pa ; Can. Air Infil/Exfil. Level=A2	838mm	1194mm	ESP040786P.5	5/21/2024	9/28/2033

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

*By:*  John McFee, VP of Certification Programs, WDMA Hallmark

*By:*  Lucas L. Wenzel, Authorized Representative, AMS

Program Sponsor:  
Window and Door Manufacturers Assoc  
330 N. Wabash Avenue, Suite 2000  
Chicago, IL 60611  
TEL (312)673-4828 [www.wdma.com](http://www.wdma.com)

Program Administrator:  
Administrative Management Systems, Inc.  
PO Box 730, 205 West Main  
Sackets Harbor, NY 13685  
TEL (315)646-2234 [staff@amscert.com](mailto:staff@amscert.com)