NOTICE OF PRODUCT CERTIFICATION



To verify that the "Notice of Product Certification" is valid, please visit <u>www.NAMICertification.com</u> to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN	JELD-WEN "Design Pro/Smooth Pro/Studio"
3737 Lakeport Boulevard	Fiberglass Glazed In-Swing or Out-Swing
Klamath Falls, OR 97601	Side-Hinged Doors w/Glazed Sidelites
	Configuration: OXO Glazing: Insulating Glass (Tempered)
	IS Frame: W-2847mm(112.12") H-2081mm(81.93")
	OS Frame: W-2847mm(112.12") H-2063mm(81.25")
	Panel: W-908mm(35.75") H-2012mm(79.25")
	DLO: W-606mm(23.87") H-1587mm(62.50")

SPEC	IFICATION	PRODUCT RATING
TA	283-04/E330-02 AS 202-94 MA 1304-02	Design Pressure: +50/-50 psf Qualifies Configurations: XO/OXO
Product Tested By:	National Certified Testing	
Report No:	NCTL-210-3918-01/SJW2013-137-TAS/SJW2013-241/SJW2013-242/SJW2013-208-TAS/SJW2013-209- TAS/SJW2013-251/SJW2013-252/SJW2013-253/NCTL-210-3925-03/NCTL-210-3918-02/SJW2014- 032/NCTL-210-3930-01/NCTL-210-3930-02/SJW2014-068/SJW-2014-071/SJW2014-069/SJW2014-079/W- 1674/W-1701/W-1783/W-1799/W-1861/W-1879/W-1899/W-1904	
Expiration Date:	March 30, 2026	
Administrator's Signature:		
	NATIONAL ACCR MANAGEMENT 4794 George Washingt Hayes, V Tel: (804) Fax: (804	INSTITUTE, INC. fon Memorial Highway YA 23072