NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011635-R1

DATE: 08/19/2013

CERTIFICATION PROGRAM: Structural

COMPANY: <u>JELD-WEN</u>

CODE: 1822-1

REVISION DATE: 06/10/2017

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN	"Premium Atlantic Vinyl
3737 Lakeport Boulevard	Non-Impact Horizontal Slider"
Klamath Falls, OR 97601	Vinyl Horizontal Sliding Window
	Configuration: XO Glazing: Insulating Glass (Annealed Glass)
	Frame: W-1879mm(74.00") H-1574mm(62.00")
	Vent: W-939mm(37.00") H-1504mm(59.25")
	DLO: W-854mm(33.62") H-1485mm(58.50")

SPECIFICATION	PRODUCT RATING
TAS 202-94	Design Pressure: 2400 Pa (50 psf) Negative Design Pressure: 2640 Pa (55 psf) Water Penetration Resistance Test Pressure: 359 Pa (7.5 psf)

Product Tested By: National Certified Testing Laboratories

Report No: NCTL-210-3898-01

Expiration Date: <u>July 31, 2025</u>

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072 Tel: (804) 684-5124 Fax: (804) 684-5122