

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI011567.01-R1  
**DATE:** 05/23/2013  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** JELD-WEN  
**CODE:** 1822-1  
**REVISION DATE:** 01/13/2017

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>JELD-WEN</b> <b>3737 Lakeport Boulevard</b> <b>Klamath Falls, OR 97601</b>	<b>"Premium Atlantic Vinyl Single Hung (8100)"</b> <b>Impact Rated Vinyl Single Hung Window</b>  (Flange Installation)  Configuration: O/X Glazing: IG-3/16" Annealed Glass/Laminate- 1/8" Annealed Glass/0.090" SentryGlas® Plus Interlayer by DuPont/1/8" Annealed Glass  Frame: W-1324mm(52.13") H-1905mm(75") Sash: W-1254mm(49.38") H-946mm(37.25")

SPECIFICATION	PRODUCT RATING
<b>TAS 201/202/203-94</b>	<b>Design Pressure: +65/-75 psf</b> <b>Large Missile Impact Rated</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-210-3873-1  
Expiration Date: April 30, 2025

Administrator's Signature: \_\_\_\_\_  


**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122