

Hallmark® Certificate of Conformance and License (CCL)



AMS, INC. Administrative Management Systems, Inc.

Pella Corporation 102 Main Street Pella, IA 50219 *Mfr ID:* 411

For more Information visit www.amscert.com

Website: www.pella.com TEL: 641-621-6096

Product No	o. Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
411-H- 1201.104	Pella Architect Wood Outswing Fixed Door	101/I.S.2/A440-11	Class LC-PG50; Size Tested 962mm x 3035mm Type-FD; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	962mm	3035mm	ESP033751P.1	5/3/2021	8/24/2030
411-H- 1201.105	Pella Architect Wood Outswing Fixed Door	101/I.S.2/A440-17	Class LC-PG50; Size Tested 962mm x 3035mm Type-FD; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=Fixed	962mm	3035mm	ESP033751P.1	5/3/2021	8/24/2030

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By: Mc Tec John McFee, VP of Certification Programs, WDMA Hallmark

By: Lucas L. Wenzel, Authorized Representative, AMS

Program Sponsor: Window and Door Manufacturers Assoc 330 N. Wabash Avenue, Suite 2000 Chicago, IL 60611 TEL (312)673-4828 www.wdma.com Program Administrator: Administrative Management Systems, Inc. PO Box 730, 205 West Main Sackets Harbor, NY 13685 TEL (315)646-2234 staff@amscert.com

WD-20 5/26/2016 JGK Friday, May 14, 2021 Page 1