

NOTICE OF PRODUCT CERTIFICATION



Company: JELD-WEN Exterior Doors
3737 Lakesport Drive
Klamath Falls, OR 97601

Certification No.: NI011082-R5
Certification Date: 05/01/2012
Expiration Date: 08/31/2027
Revision Date: 05/09/2022

Product: “Energy Saver/Contour” Opaque Wood-Edge Steel Door w/ or w/o Sidelite (wood frame)

Specification: TAS 201/202/203-94

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

Configuration	Inswing or Outswing	Glazed or Opaque	Maximum Size	Design Pressure Pos/Neg	Water Test Pressure	Missile Impact Rated	Test Report Number Drawing Number & Comments
X Single	O/S	Opaque	3’2” x 6’10”	+66/-70	10.0 psf	Yes	CTLA-696W/W-1897/W-1905/W-2025 Max Panel Size: 3’0” x 6’8” Installation Details: S-2104 (1-8)
OX/XO Single w/Sidelites	O/S	Door-Opaque Sidelite-Glazed	4’5” x 6’10”	+66/-70	10.0 psf	Door-Yes Sidelite-No	CTLA-696W/W-1897/W-1905/W-2025 Max Panel Size: 3’0” x 6’8” Sidelite DLO: 6” x 5’3” (1/8” Tempered Glass) Installation Details: S-2104 (1-8)
OXO Single w/Sidelites	O/S	Door-Opaque Sidelites-Glazed	5’10” x 6’10”	+66/-70	10.0 psf	Door-Yes Sidelites-No	CTLA-696W/W-1897/W-1905/W-2025 Max Panel Size: 3’0” x 6’8” Sidelite DLO: 6” x 5’3” (1/8” Tempered Glass) Installation Details: S-2104 (1-8)
XX Double	O/S	Doors-Opaque	6’3” x 6’10”	+57/-57	8.55 psf	Doors-Yes	CTLA-696W/W-1897/W-1905/W-2025 Max Panel Size: 3’0” x 6’8” Installation Details: S-2104 (1-8)
OXXO Double w/Sidelites	O/S	Doors-Opaque Sidelites-Glazed	8’11” x 6’10”	+57/-57	8.55 psf	Doors-Yes Sidelites-No	CTLA-696W/W-1897/W-1905/W-2025 Max Panel Size: 3’0” x 6’8” Sidelite DLO: 6” x 5’3” (1/8” Tempered Glass) Installation Details: S-2104 (1-8)

National Accreditation & Management Institute, Inc./4794 George Washington Memorial Highway/Hayes, VA 23072
Tel: (804) 684-5124/nami@namiinc.com

NAMI AUTHORIZED SIGNATURE: _____