



# Structural Performance Certification Authorization Report

## Stergis Windows and Doors Inc

79 Walton Street  
Attleboro, MA 02703, USA

Certification ID:	4-723
Company Code:	004
Certification Date:	8/30/2012
Revision No:	1
Revision Date:	2/7/2022
Expiration Date:	3/16/2025

### Product Rating Information:

Model:	Stormgate Impact NC Double Hung			
Operator Type:	H			
Configuration:	All/Clip/Sill, GS-1/8" Ann IG			
Referenced Standard:	AAMA/WDMA/CSA 101/IS2/A440-05			
Product Rating:	H-R50 1219x1829 (48x72)			
Rated Dimensions:	Max Width:	48 in	Max Height:	72 in

### Qualifying Test information:

Test Report No:	ESP009376P-12R/010588P-12R
Test Report Expiration:	3/16/2025

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at [www.keystonecerts.com](http://www.keystonecerts.com)

**Authorized By:**



Keystone Certifications, Inc.  
145 Limekiln Rd, Suite 100B  
New Cumberland, PA 17070  
Phone: 717-932-8500



# Structural Performance Certification Authorization Report

## Revision History

Rev #	Date	Description
0	8/30/2012	Initial Issuance
1	2/7/2022	Granted 3 Year Extension