

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI009416.03-R4  
**DATE:** 04/14/2011  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Eastern  
**CODE:** 1783-1  
**REVISION DATE:** 10/17/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Eastern Architectural Systems</b> <b>16341 Domestic Avenue</b> <b>Ft. Myers, FL 33912</b>	<b>Series "FD-8100" Aluminum</b> <b>Impact Rated Sliding Glass Door</b>  Configuration: OXXX  Glazing: Laminate-3/16" Heat Strengthened Glass/0.100" Interlayer (Eastman PVB)/ 3/16" Heat Strengthened Glass  Frame: W-4877mm(192") H-2438mm(96")  Panel: W-1245mm(49") H-2388mm(94")  DLO: W-1038mm(40.87") H-2178mm(85.75")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-05</b> <b>ASTM E1886-02/E1996-02</b> <b>TAS 201/202/203-94</b>	<b>SD-C100 4877 x 2438 (192 x 96)</b> <b>Design Pressure: +110/-110 psf</b> <b>Large Missile Impact Rated</b> <b>Wind Zone 4-Missile Level D</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-210-3407-1/210-3407-1A  
Expiration Date: June 30, 2027

Administrator's Signature: \_\_\_\_\_  


**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023