

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011134-R4
DATE: 06/08/2012
CERTIFICATION PROGRAM: Structural
COMPANY: Eastern
CODE: 1783-1
REVISION DATE: 10/16/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Eastern Architectural Systems 16341 Domestic Avenue Fort Myers, FL 33912	Series "623" Vinyl Fin Frame Impact Sliding Glass Door Configuration: OXO Glazing: IG-1/8" Tempered Glass/Laminate-1/8" Annealed Glass/0.090" Interlayer (Eastman PVB)/1/8" Annealed Glass or 5/32" Tempered Glass/Laminate-5/32" Annealed Glass/0.090" Interlayer (Eastman PVB)/ 5/32" Annealed Glass Frame: W-3658mm(144") H-2438mm(96") Panel: W-1232mm(48.5") H-2369mm(93.25") DLO: W-1029mm(40.5") H-2165mm(85.25")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-05 ASTM E1886-05/E1996-05	SD-C50 3658 x 2438 (144 x 96) Design Pressure: +50/-50 psf Wind Zone 4-Missile Level D

Product Tested By: Certified Testing Laboratories
Report No: CTLA 2050W/CTLA 2050W-1/ESP009160P-1/ESP009160P-2
Expiration Date: May 31, 2027

Administrator's Signature: 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023