

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011134.01-R2
DATE: 06/08/2012
CERTIFICATION PROGRAM: Structural
COMPANY: Eastern
CODE: 1783-1
REVISION DATE: 03/03/2020

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Eastern Architectural Systems 16341 Domestic Avenue Fort Myers, FL 33912	Series "623" Vinyl Fin Frame or Equal Leg Impact Sliding Glass Door Configuration: OXXO Glazing: Fin Frame IG-1/8" Tempered Glass/Laminate-1/8" Annealed Glass/0.090" Interlayer (Eastman PVB)/1/8" Annealed Glass or Equal Leg IG: 5/32" Tempered Glass/Laminate-5/32" Annealed Glass/0.090" Interlayer (Eastman PVB)/5/32" Annealed Glass Frame: W-4877mm(192") H-2438mm(96") Panel: W-1243mm(48.93") H-2369mm(93.25") DLO: W-1040mm(40.93") H-2165mm(85.25")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-05 ASTM E1886-05/E1996-05 ASTM E330-02	SD-C50 4877 x 2438 (192 x 96) Design Pressure: +50/-50 psf Wind Zone 4-Missile Level D Qualifies Configurations: O/X/OX/XO/OXO/XX/OXX/XXO/OXXO

Product Tested By: Certified Testing Laboratories/Element Materials Technology
Report No: CTLA 2054W/CTLA 2054W-1/ESP009160P/ESP009160P-3
Expiration Date: May 31, 2025

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122