

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI006149.01-R4
DATE: 04/26/2011
CERTIFICATION PROGRAM: Structural
COMPANY: Eastern
CODE: 1783-1
REVISION DATE: 07/31/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Eastern Architectural Systems 16341 Domestic Avenue Ft. Myers, FL 33912	Series "FWI 1000" Aluminum Impact Rated Horizontal Sliding Window Configuration: OX Glazing: Laminate-3/16" Heat Strengthened Glass/ 0.090" Saflex/Keepsake Maximum/ 3/16" Heat Strengthened Glass Frame: W-1829mm(72") H-1524mm(60") Panel: W-914mm(36") H-1448mm(57")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94 AAMA 1302.5-76	Design Pressure: +80/-80 psf Large Missile Impact Rated FER-Passed

Product Tested By: Fenestration Testing Laboratory, Inc.
Report No: Lab No. 3701/Report No. 25/File No. 02-311/W-2044
Expiration Date: December 31, 2027

Administrator's Signature: _____


NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com