

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI006332.04-R3
DATE: 12/12/2005
CERTIFICATION PROGRAM: Structural
COMPANY: JELD-WEN
CODE: 1822-1
REVISION DATE: 05/09/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN 3737 Lakeport Boulevard Klamath Falls, OR 97601	“Contours Premium Steel Wood-Edge Full Lite Fixed Sidelight” w/ODL Impact Glass or ODL Impact Allen Frame Configuration: O Glazing: IG-1/8" Tempered Glass/ Laminate-1/8" Annealed Glass/ 0.090" Interlayer by Solutia/1/8" Annealed Glass Frame: W-946mm(37.25") H-2438mm(96") Panel: W-889mm(35") H-2413mm(95") DLO: W-521mm(20.5") H-1997mm(78.62")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: +80/-80 psf Large Missile Impact Rated

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-3194-1/SJW2011-73/W-1487/W-1560/W-1897/W-1905/W-2025
Expiration Date: September 30, 2029

Administrator's Signature: _____ 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com