

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI006486-R6  
**DATE:** 04/10/2006  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Nan Ya  
**CODE:** 661-1  
**REVISION DATE:** 09/13/2021

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Nan Ya Plastics Corporation USA</b> <b>8989 North Loop East, Suite 800</b> <b>Houston, TX 77029</b>	<b>Series 9'0" x 8'0" Fiberglass</b> <b>Out-Swing Glazed Double Door</b>  Configuration: OXX  Glazing: IG-Laminate-1/8" Annealed Glass/0.090" PVB Interlayer/1/8" Annealed Glass/ 1/8" Tempered Glass  Frame: W-9'1" Panel: W-3'0" Opening: W-1'9"  H-8'0" H-8'0" H-6'7"

SPECIFICATION	PRODUCT RATING
<b>AAMA/NWWDA 101/I.S.2-97</b> <b>ASTM E330-02</b> <b>AAMA 1302.5-76</b>	<b>HGD-LC50</b> <b>Design Pressure: +50/-50 psf</b> <b>FER-Passed</b>

Product Tested By: Certified Testing Laboratories  
Report No: CTLA-1420W-2  
Expiration Date: **February 28, 2026**

Administrator's Signature: \_\_\_\_\_  


## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122