

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI006486.01-R6
DATE: 04/10/2006
CERTIFICATION PROGRAM: Structural
COMPANY: Nan Ya
CODE: 661-1
REVISION DATE: 09/13/2021

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Nan Ya Plastics Corporation USA 8989 North Loop East, Suite 800 Houston, TX 77029	Series 9'0" x 8'0" Fiberglass Out-Swing Glazed Double Door Configuration: OXX Glazing: IG-Laminate-1/8" Annealed Glass/0.090" PVB Interlayer/1/8" Annealed Glass/ 1/8" Tempered Glass Frame: W-9'1" Panel: W-3'0" Opening: W-1'9" H-8'0" H-8'0" H-6'7"

SPECIFICATION	PRODUCT RATING
ASTM E1886-02/E1996-02	Design Pressure: +50/-50 psf Wind Zone 3 - Missile Level D

Product Tested By: Certified Testing Laboratories
Report No: CTLA-1508W-1
Expiration Date: **February 28, 2026**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122