

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI010690.02-R2
DATE: 01/16/2013
CERTIFICATION PROGRAM: Structural
COMPANY: Nan Ya
CODE: 661-1
REVISION DATE: 09/15/2020

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Nan Ya Plastics Corporation USA 8989 North Loop East, Suite 800 Houston, TX 77029	Series "Out-Swing Entrance Door with Sidelites" Fiberglass Clad Entrance Door Configuration: OXXO Glazing: IG-Laminate (Interior)-1/8" Annealed Glass/0.090" DuPont Butacite PVB/1/8" Annealed Glass/(Exterior)-1/8" Tempered Glass Frame: W-3703mm(145.75) H-2096mm(82.50") Panel: W-895mm(35.25") H-2040mm(80.31") Sidelite: W-875mm(34.50") H-2040mm(80.31")

SPECIFICATION	PRODUCT RATING
ASTM E1886-05/E1996-05	Design Pressure: +70/-70 psf Wind Zone 4-Missile Level D Qualifies Configurations: O/X/OX/XO/OXX/XXO/OXO/OXXO

Product Tested By: Fenestration Testing Laboratory, Inc.
Report No: FTL 6492/W-1547
Expiration Date: April 30, 2025

Administrator's Signature: _____


**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122