

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI010718.02-R3  
DATE: 08/08/2011  
CERTIFICATION PROGRAM: Structural  
COMPANY: Plyco  
CODE: 765-1  
REVISION DATE: 07/30/2020

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Plyco Corporation</b> <b>dba Modern Door Corporation</b> <b>500 Industrial Road/PO Box 386</b> <b>Elkhart Lake, WI 53020</b>	<b>Series "95 EV" Opaque In-Swing</b> <b>Steel Door w/Lock &amp; Deadbolt</b>  Door Panel: Steel  Configuration: X  Frame: W-965mm(38")      H-2172mm(85.5") Panel: W-908mm(35.75")      H-2111mm(83.13")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b>	<b>Class LC-PG80 965 x 2172 (38 x 86)-LW-SHD</b>

Product Tested By: Architectural Testing, Inc.  
Report No: B1156.01-602-44  
Expiration Date: July 31, 2024

A handwritten signature in black ink, appearing to be 'S. D.', written over a horizontal line.

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION &  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122