

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI010883.01-R5
DATE: 01/05/2012
CERTIFICATION PROGRAM: Structural
COMPANY: LAS Enterprises
CODE: 1124-1
REVISION DATE: 07/13/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
LAS Enterprises 2413 L & A Road Metairie, LA 70001	Series "Board and Batten" Aluminum Shutter Assembly Configuration: X/X Frame: W-1070mm (42.12") H-2134mm (84")

SPECIFICATION	PRODUCT RATING
ASTM E330-02 ASTM E1886-05/E1996-05	Design Pressure: +60/-60 psf Wind Zone 4-Missile Level D

Product Tested By: Certified Testing Laboratories
Report No: CTLA-2068W-2
Expiration Date: December 31, 2026

Administrator's Signature: _____


**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com