NOTICE OF PRODUCT CERTIFICATION

CTOPS ACCREDITED AR	CERTIFICATION NO:	NI010971.03-R6
NO CRA	DATE:	02/07/2012
	CERTIFICATION PROGRAM:	Structural
(r. CPJ) E	COMPANY:	Plyco
AAGE STIL	CODE:	765-1
CERTIFIED PRODUCT	REVISION DATE:	09/26/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit <u>www.namicertification.com</u>. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION	
Plyco Corporation	Series "20 EV"	
dba Modern Door Corporation	Glazed In-Swing & Out-Swing	
500 Industrial Road/PO Box 386	Side-Hinged Door w/Deadbolt	
Elkhart Lake, WI 53020	Door Panel: Aluminum Rails w/Steel Skin Configuration: X Glazing: Insulating Glass (Tempered)	
	Frame: W-1010mm(39.75") H-2169mm(85.38")	
	Panel: W-908mm(35.75") H-2115mm(83.25")	

SPECIFICATION	PRODUCT RATING
ASTM E330-02/14	Design Pressure: ±2155 Pa (±45 psf)

Product Tested By: Report No: Expiration Date: Architectural Testing, Inc. B3202.01-602-44/W-1497/W-1945/W-1982 November 30, 2028

Administrator's Signature:

NATIONAL ACCREDITATION & MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124 nami@namiinc.com