

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI010971.06-R8  
DATE: 02/07/2012  
CERTIFICATION PROGRAM: Structural  
COMPANY: Plyco  
CODE: 765-1  
REVISION DATE: 09/26/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Plyco Corporation</b> <b>dba Modern Door Corporation</b> <b>500 Industrial Road/PO Box 386</b> <b>Elkhart Lake, WI 53020</b>	<b>Series "20 EV" Opaque</b> <b>Flush In-Swing Door w/Deadbolt</b> Door Panel: Aluminum Rails w/Steel Skins  Configuration: X  Frame: W-1314mm(51.75") H-2169mm(85.38") Panel: W-1213mm(47.75") H-2111mm(83.13")

SPECIFICATION	PRODUCT RATING
<b>ASTM E330-02/14</b>	<b>Design Pressure: ±2880 Pa (±60 psf)</b> <b>Positive Design Pressure: 2880 Pa (60 psf)</b> <b>Negative Design Pressure: 3120 Pa (65 psf)</b>

Product Tested By: Architectural Testing, Inc.  
Report No: B3326.01-602-44/W-1746/W-1945/W-1982  
Expiration Date: November 30, 2029

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be "M.D.", written over a horizontal line.

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)