

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011313-R2
DATE: 10/12/2012
CERTIFICATION PROGRAM: Structural
COMPANY: LAS Enterprises
CODE: 1124-1
REVISION DATE: 07/13/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
LAS Enterprises 2413 L & A Road Metairie, LA 70001	Series "Aluminum Bi-Fold Non-Impact Colonial Shutter Assembly" Configuration: X/X/X/X Frame: W-1940mm(76.38") H-1956mm(77.00")

SPECIFICATION	PRODUCT RATING
ASTM E330-02	Design Pressure: +40/-40 psf

Product Tested By: Element Materials Technology
Report No: ESP009482P
Expiration Date: **December 31, 2026**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shel" or similar, written over a horizontal line.

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com