

NOTICE OF PRODUCT CERTIFICATION



Company: JELD-WEN
3737 Lakeport Boulevard
Klamath Falls, OR 97601

Certification No.: NI010126.01-R2
Certification Date: 02/25/2010
Expiration Date: 01/31/2026
Revision Date: 02/01/2018

Product: Series “Energy Saver/Contour” Wood Edge 24 Gauge Steel Side-Hinged Doors w/ or w/o Side-Lites or w/ or w/o Transom (w/Wood Frame unless noted)

Specifications: ASTM E283-04/E330-02/E331-00/AAMA 1304-02

To verify that the “Notice of Product Certification” is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

Configuration	Inswing or Outswing	Glazed or Opaque	Maximum Size	Design Pressure Pos/Neg	Water Test Pressure (psf)	Missile Impact Rated	Test Report Number Drawing Number & Comments
X Single	I/S or O/S	Glazed	3’2” x 6’10”	+50/-50 psf	0.0 psf	No	SJW2010-001/V-201003/PER 2947W-1695 Max Panel Size: 3’0” x 6’7”/Max DLO: 1’9 x 5’3” Installation Details: JW172009(1-16)/AO11271
OX/XO Single w/Sidelite	I/S or O/S	Glazed	4’3” x 6’10”	+50/-50 psf	0.0 psf	No	SJW2010-001/V-201003/PER 2947W-1695 Max Panel Size: 3’0” x 6’7”/Max DLO: 1’9 x 5’3” Installation Details: JW172009(1-16)/AO11271
OXO Single w/Sidelites	I/S or O/S	Glazed	5’5” x 6’10”	+50/-50 psf	0.0 psf	No	SJW2010-001/V-201003/PER 2947W-1695 Max Panel Size: 3’0” x 6’7”/Max DLO: 1’9 x 5’3” Installation Details: JW172009(1-16)/AO11271
O//X Single w/Transom	I/S or O/S	Glazed	3’2” x 7’11”	+50/-50 psf	0.0 psf	No	SJW2010-001/V-201003/PER 2947W-1695 Max Panel Size: 3’0” x 6’7”/Max DLO: 1’9 x 5’3” Installation Details: JW172009(1-16)/AO11271
O//OXO Single w/Sidelites & Transom	I/S or O/S	Glazed	5’5” x 7’11”	+50/-50 psf	0.0 psf	No	SJW2010-001/V-201003/PER 2947W-1695 Max Panel Size: 3’0” x 6’7”/Max DLO: 1’9 x 5’3” Installation Details: JW172009(1-16)/AO11271

National Accreditation & Management Institute, Inc./4794 George Washington Memorial Highway/Hayes, VA 23072
Tel: (804) 684-5124/Fax: (804) 684-5122

NAMI AUTHORIZED SIGNATURE: _____

A handwritten signature in black ink, appearing to be 'S.M.D.', is written over the signature line.