NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI005962-R7**
DATE:	**11/30/2004**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Kennedy**
CODE:	**1978-1**
REVISION DATE:	**06/20/2022**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Kennedy Skylights **5294 Tower Way** **Sanford, FL 32773**	**Model "CMG" Curb Mounted Glass Skylight** Glazing: Insulating Glass (Tempered) **STP PSF** Frame: W-4'3" Opening: W-3'7" Pos+195.0 H-4'3" H-3'7" Neg-195.0

SPECIFICATION	PRODUCT RATING
AAMA/WDMA 1600/I.S.7-2000	**SKG-C95 95 (51" x 51")**

Product Tested By: National Certified Testing Laboratories, Inc.
Report No: NCTL-210-3041-3A (Structural)
Expiration Date: **August 31, 2024**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com