

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI005843-R9  
**DATE:** 11/05/2004  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Kennedy  
**CODE:** 1978-1  
**REVISION DATE:** 06/04/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Natural Light Energy Systems</b> <b>dba Kennedy Skylights</b> <b>5294 Tower Way</b> <b>Sanford, FL 32773</b>	<b>Model "CM" Curb Mounted</b> <b>Polycarbonate Skylight</b>  Dome-0.093"/Inner Dome-0.040"  <b><u>STP PSF</u></b>  Frame: W-4'4" Opening: W-4'1" Pos+120.0 Panel: H-4'4" Opening: W-4'1" Neg-120.0

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA 1600/I.S.7-2000</b>	<b>SKP-C60 60 (52 x 52)</b>

Product Tested By: National Certified Testing Laboratories, Inc.  
Report No: NCTL-210-3042-2/3 (Structural)  
Expiration Date: **July 31, 2029**

Administrator's Signature: \_\_\_\_\_  


**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)